

# **Verona**

Homeowner Manual

And

Warranty Guide

# Table of Contents

- Verona.....
  
- Using this Manual.....
  
- Moving.....
  
- Being a Good Neighbor.....
  
- General Information about your Development.....
  
- Rules and Regulations.....
  
- Verona Design Guidelines.....
  
- Important Information about Your home.....
  
- A Word about Mold and Indoor Air Quality.....
  
- Maintenance of Your Home.....
  
- Required Maintenance by the Homeowner.....
  
- Troubleshooting Suggestions.....
  
- A Word about Warranties.....
  
- Warranty.....

Warranty Service.....

CONSTRUCTION STANDARDS.....

Glossary.....

# Verona

Welcome to Verona:

Verona consists of 7 homes located in the City of Camas Washington. We hope you find living at this beautiful community a happy and rewarding experience.

Verona is a common-interest community. It functions under the direction of its Homeowners. Homeowners at Verona automatically become members of the Verona Homeowner's Association. The Association ensures the preservation of the community's original planning concepts and designs, and protects the assets of the community. The Association is responsible for the efficient operation and maintenance of the property for the mutual benefit of all of its Homeowners.

Governing common-interest communities through Homeowners associations is an ingenious device whereby professionals are obtained to manage the community assets while authority and responsibility for the property's maintenance is retained by those most interested in the community's welfare—the property Homeowners.

The purpose of this manual is to outline the operating structure and procedures and to provide the Homeowner with important information about the Association and Common Elements of the Project. It is intended to serve as a reference and information source, and does not detail all documents governing the community.

Verona provides beautiful homes and surroundings, located in one of the City of Camas' most convenient and centrally located areas. If you have not experienced living in a community where Homeowners share the facilities and Common Elements with their neighbors, this manual will be helpful in providing an understanding of how common interest communities and their association's function. For those who are familiar with Homeowner associations, we hope this manual will serve as a quick reference and source of information.

Sincerely,

Verona, LLC

## Using this Manual

We have used several features to assist you in using this manual. These features are:

Bold Copy is used to attract your attention to key parts of the manual.

**This is bold copy**

Highlighting is used to express the importance of various information within this manual. If you see highlighting, please read the highlighted copy carefully.

**THIS IS HIGHLIGHTING**

## Moving

### UTILITY INFORMATION

***Your new address:***

---

#### ***Telephone service:***

Call Frontier Communications to schedule the activation of your telephone service(s). When contacting Frontier to set up your account, you should reference your address. Let the order representative know that Verona is a new neighborhood.

#### ***Utilities:***

Contact the Clark County Utilities office to establish your new electrical account. It is required that you provide your street address when making this order. Activation can take up to several days; contact the Customer Service Department before your actual move-in day.

Contact Northwest Natural Gas to arrange for an account. Activation can take up to several days; contact the Customer Service Department before your actual move-in day.

Contact the City of Camas Water District to arrange for an account. Activation can take up to several days; contact the Customer Service Department before your actual move-in day.

#### ***Cable TV Services:***

Please contact Comcast Cable to establish your new account. They will be glad to discuss options and pricing with you.

**Welcome to Your New Home and Community! Welcome to Verona!**

# **Verona**

## **MOVE IN/OUT & DELIVERY PROCEDURES**

### **PRIOR TO YOUR MOVE OR DELIVERY**

#### **UTILITIES**

The Builder will contact all utilities to notify them of a change in owner as of the date of closing. To avoid being without utility service it is important to contact the appropriate utility prior to your close date.

#### **YOUR MOVING COMPANY**

Please choose your moving company carefully! You, as the Homeowner, are fully responsible for any damages done to the Common Elements, streets, driveways, sidewalks and curbing during the move in or move out, including damage done by your moving company's personnel or your tenant if you rent your Home. Because of this liability, it is important that the moving company carry its own insurance for such damages.

We recommend that the moving company give you a copy of their current Certification of Liability insurance and a copy of their current workers compensation insurance certificate.

### **SUGGESTIONS FOR MOVING PREPARATION**

#### ***MAKE A PLAN***

You will save time and money if you plan the location of your furniture in your new Home before the moving company delivers it. Be sure you know your full address, the date, and time block assigned for your move. Verify this with the movers.

#### **AFTER MOVING IN**

#### ***BOXES AND PACKING MATERIALS***

At the end of the move, or at the end of each day if your move takes more than one day, the areas around your Home **must be cleaned of all debris**. Packing materials and containers must not be left outside your door.

## Being a Good Neighbor

Living in a common interest development, such as Verona, offers many advantages. You can enhance the quality of life in your common interest development by considering these "Good Neighbor" suggestions...

### Noise issues

Be aware that other homes are located adjacent to your Home. Perhaps the first consideration is to reduce noise transmission from your Home to a neighboring Home. Music systems, televisions and musical instruments can produce sounds that are enjoyable to you but annoying to your neighbors. Always keep the volume at a reasonable level.

After 8:00 pm, the volume level of all music and television systems should be turned down further.

If you find that your neighbor is producing annoying sounds, use a good neighbor approach and gently discuss the noise with your neighbor. Most often you will find that your neighbor appreciates your concern and is unaware of the noise transmission problem.

If you plan to have a temporary sound issue such as a repair or installation, it is a good idea to alert your neighbors that the noise will be temporary. Always schedule such repairs after 8:00 am and to be completed no later than 6:00 pm.

Please see the Design Rules Guidelines for requirements on installing modifications which might result in noise or sound to neighbors.

### Odor and Cooking Aroma Issues

Even the most tempting aromas from cooking can be annoying to a neighbor. We ask that you use your range hood when cooking so your cooking aromas will not intrude on a neighbor's privacy.

### Trash

Do not place trash outside your door.

All trash must be placed in your trashcan. Any items found outside or around your home could cause the home that created the problem to be fined.

### Water Spills

**If you experience water spill of sufficient volume the water might penetrate the flooring; thus contact the Marnella Homes Warranty Department at once.** Remove the excess water and thoroughly dry the area of the water spill with towels. If the spill happened while you were away for a day or two, please use a solution of one part household bleach and ten parts water to wipe down the affected area. Be sure to protect yourself by wearing eye protection, rubber gloves and by using a mask to avoid the fumes. If the spill has been unattended for more than two days, report it to the Marnella Homes Warranty Department immediately and rely on their expertise to remedy the situation.

### Parking

Please observe the regulations for parking at all times.

Do not obstruct driveways of other Homes. .

It is the responsibility of the Homeowners to make all delivery services, contractors, guests and rental clients aware of the parking rules and regulations.



## General Information about your Neighborhood

The next three sections are included in this manual for your convenience. The official versions of these documents were provided with your purchase materials. The documents are:

- By Laws of a Verona Home Owner(s)
- Declaration of Covenants, Conditions, and Restrictions for the Verona Homes
- Verona Home Plat
- Articles of Incorporation

We have provided a link with all these important documents on our website for your convenience.

# Rules and Regulations

## **Your Association**

Your Association, which will “govern” The Verona Home community, may best be understood by employing a simple analogy to the relationship that exists between a city government and the homeowners of that city.

### ***Structure***

As a Homeowner at Verona, you are a member of your Association, which is responsible for the maintenance and day-to-day operation of the buildings. Annually, you and your neighbors, as members of the Association, elect Directors to the Board to address the Association’s responsibilities and to supervise the policies and services that apply to the members. However, the Board is initially comprised of the Builders, until such time as specified in the Declaration.

### ***Jurisdiction***

The Declaration defines the jurisdictional scope of the Association. As a Homeowner, it is important that you become familiar with the Association’s responsibilities and how these responsibilities differ from your responsibilities as an individual Homeowner.

### ***Assessment***

A proportionate share of the funds needed to administer your Association and to insure the proper maintenance of the Association Common Elements is collected from each Homeowner. The due date for this assessment is given in your Association documents.

This monthly assessment has two (2) separate components: Operations and Reserves. The Operations portion of the assessment covers the routine ongoing costs of such things as management, insurance, building and landscape maintenance, utilities (sewer, water and electricity for the Common Elements). The Reserve portion of your assessment is money set aside in accordance with a specific plan adopted by the Board of Directors to defray the cost of long term repair and replacement activities such as painting, roofing, etc. The specific components of this responsibility are outlined in the Reserve Study section of the Annual Operating Budget. The Board of Directors will adopt a new Operating Budget, which outlines the specific expenses in these two areas and thus calculates the assessments, on an annual basis.

### ***Keys***

At the time you close escrow on your Home you are given the keys. These are the only copies of your keys, as the Association does not maintain copies or have master keys. If you wish to have additional copies made, you may do so at your own expense by contacting a full service locksmith or hardware store.

### ***Mailbox Keys***

The mailboxes are located within the Verona Home community in common mailbox units. The location will be shown to you during your orientation. Keys for the mailboxes will be provided by the Clackamas Post Office, 11909 NE 65th Street, Vancouver, Washington, 98687, 360-992-5000 after close of escrow. As your mailbox is not an Association Common Element, the Management Company does not have extra copies of your mailbox key. You should make duplicate copies of your keys in the event one is lost.

## **Noise**

Verona was designed with attention to safety, comfort, and living ease within a community setting. Rules have been adopted to protect Homeowners from unnecessary noise. Please take a moment to review this important section of the Rules and Regulations.

## **Courtesy**

Another way of understanding these regulations, which are designed to maintain and enhance your environment, is to realize that they are simply insuring the extension of personal courtesy to your neighbors. In particular, the regulations establishing limitations on noise, supervision of children, and the ownership of pets (as described in the Declaration) stand out as examples. It is for this reason that your use of all the facilities will be subject to the regulations of the Association. These regulations can be amended from time to time by the Board of Directors if and when the situation warrants.

## **Individual Homes**

The maintenance of the interior of your Home and the improvements therein is the sole responsibility of you, the Homeowner. The following information is provided for introduction purposes only. You should be sure to review and follow the maintenance manuals provided with your appliances. Please be sure to carefully review your "Homeowner Manual" for the maintenance schedules to be followed.

## **Patios**

Proper maintenance of the patio is the responsibility of the Homeowner. Daily cleaning is the responsibility of the Homeowner. Please be careful that plants being watered on your patio do not overflow.

## **Bathrooms**

Over a period of time, movement between your tub and adjacent surfaces may affect the caulk joint at that juncture. **The Homeowner should maintain the caulk joint between the tub and tile through periodic inspection and application of caulking material (available at most hardware stores).** Similarly, the tile grout should be properly maintained with periodic filling. Bathrooms are provided with exhaust fans activated by a wall switch. The fans are connected to duct work to vent to the outside. Periodic cleaning of your exhaust fan is necessary and is the responsibility of each Homeowner. Proper cleaning products should be used on all bathroom and kitchen surfaces, including plumbing fixtures. Abrasive cleaners should not be used.

## **Fire Safety**

Each Home is equipped with a sprinkler system that operates off of direct pressure from the City's fire water supply lines. Each Home is equipped with smoke detectors, which are hard wired into each Home's circuit breaker and have a battery backup. It is the responsibility of the individual Homeowner to replace the batteries as necessary. Sprinkler heads are for Homeowner's protection. They must not be painted and must be kept clear of any obstructions. Never hang objects from sprinklers.

## **Kitchen Appliances**

Each Home comes equipped with a stove, oven, dishwasher, microwave, and garbage disposer. Filters on the kitchen recirculation air-filtering hood must be cleaned and degreased regularly.

### ***Sills and Doors***

The sills (tracks) on the windows and doors are constantly exposed to the elements. The individual Homeowner must perform periodic cleaning, including flushing of weep holes and re-lubrication. Additionally, doors throughout the Home (including cabinets) may need periodic adjustments. This is also the responsibility of each Homeowner.

### ***Sound***

The buildings have been constructed to meet current standards established by the home building industry. No modification can be made to any Home that would impact these standards. All Homes adjacent to other Homes are required not to make any modifications to the party wall system.

### ***Telephone Service***

Each Home is designed to accommodate one or more telephone lines. Homeowners are responsible for the installation and payment for this service.

### ***Television Service***

Each Home is pre-wired for television service. Homeowners who desire such service are responsible for the installation and payment for the service.

### ***Utilities***

There is a gas and an electric meter for each Home located on the exterior of each building. Homeowners are responsible for contacting the electric and gas utilities to initiate their utility services no later than the effective date of closing of escrow. The Builder will contact all utilities to notify them of a change in owner as of the date of closing. To avoid being without utility service it is important to contact the appropriate utility prior to your close date.

### ***Conclusion***

We hope this information has given you a helpful overview of the Verona Home community and has helped acquaint you with how this new Home community will operate. However, as noted above, it is intended to be introductory in nature and it is not as comprehensive as the Declarations and the Disclosure statement provided at Purchase, nor is it intended to be a complete and definitive description of Verona. In the event of any conflict between this summary and the legal documents, the legal documents take precedence.

Your Association exists to serve the Homeowners of the Association. It is the responsibility of the Association to ensure that all Homeowners share in the enjoyment of the facilities to the fullest extent possible. It is for this reason that the Association has established a set of Rules and Regulations in accordance with the legal documents that will expand on this introduction.

## **Verona Home Community Handbook**

### ***General***

Parents or guardians are responsible for the conduct of their minor children, grandchildren, and/or minor guests.

No loud talking, unnecessary noises or boisterous conduct is permitted at any time. This includes, but is not limited to, televisions, radios and/or other sound-emitting devices. Common courtesy shall be observed at all times. Consideration of your neighbors will enhance the enjoyment and tranquility of all.

Homeowners will be responsible for any and all actions of their guests, lessees, contractors, employees and anyone on the premises by their instruction, invitation or permission.

Homeowners will be responsible for and bear all costs of repairs and/or replacement for any damage to the building or other Homeowner's Homes, recreational facilities, equipment, or any other Association Common Elements, if it is determined that the damage was caused by the Homeowner, its lessees, guests, employees or contractors.

Outside antennas greater than one meter in diameter or signs may not be placed in the windows or on the decks of any Home, other than one (1) sign of reasonable and customary dimensions in the place designated by the Design Review Committee to advertise the Home for sale or rent.

Neither Homeowners nor their families, employees, agents, visitors, licensees nor servants shall distribute or cause to be distributed any advertising, pamphlet, free newspaper or any other printed matter on or in any portion of the property or Homeowner cars. This includes door-to-door solicitation, electioneering, etc.

Skateboards, scooters, bicycles or roller blades are not allowed on the sidewalks and streets.

Other than normal cooking odors, no odorous matters shall be emitted upon or about the Project in such quantity as to be readily detectable outside the physical boundaries of the space within which such odor was generated.

Should an emergency situation occur, the building personnel and all other types of emergency personnel shall have authorization to enter your Home using forcible entry if necessary. In the event that this emergency entry is not the direct result of a Homeowner maintenance item or action, the Association will be responsible for damages caused by the Association to your Home.

No exterior clothesline shall be erected or maintained or hung on decks or railings within the Community and there shall be no exterior drying or laundering of clothes or any other items on any Exclusive Use Association Common Elements or Association Property.

No patio, deck or parking spaces, except for designated Storage Areas, shall be used for storage purposes, including, without limitation, the storage of bicycles.

### ***DISTURBANCES / NUISANCES***

Homeowners are responsible at all times for the reasonable conduct of themselves, their occupants and guests. Loud or boisterous conduct anywhere on the Verona property, including inside your Home that disturbs the comfort and quiet enjoyment of others is prohibited. Common sense and neighborliness will be sufficient for most neighbor issues.

No person shall discharge into the Project's sewer system or storm drain any toxic or noxious matter in such concentrations as to be detrimental to or endanger the public health, safety, welfare, violate any law, subject any Homeowner to liability under state and federal law for any cleanup or cause injury or damage to neighboring property or business elsewhere in the neighborhood.

No air pollutants or contaminants sufficient to create a nuisance shall be discharged.

The volume of radio, stereo sets, television, and musical instruments shall be held at a reasonable level at all times so other Homeowners are not disturbed. Between 10:00 p.m. and 8:00 a.m., the volume must be significantly reduced so as not to disturb other Homeowners.

Speakers and floor supported musical instruments (i.e. pianos and organs) must be properly isolated from directly contacting floors and walls in order to minimize vibrations.

### ***PETS***

The Association understands how important pets are to their owners; however, equally as important are the other neighbors' right to quiet enjoyment of their property. Homeowners, their lessees, invitees, guests and contractors must at all times adhere to the provisions concerning pets detailed in the Association documents. The following rules expand on these provisions:

Not more than a total of two (2) pets, such as domestic dogs and cats (not kept, bred or raised for commercial purposes) may be kept in each Home. However, animals, which in the reasonable determination of the Board are determined to be a threat to the safety of the occupants of the Project, shall not be allowed in the Project under any circumstances.

No livestock or poultry shall be kept, maintained, or bred in any Home or any other location within the Project.

The Board shall specifically have the power to prohibit the keeping or maintenance of any animal, which, in the opinion of the Board, after Notice and Hearing, is deemed by the Board to constitute a nuisance to any other Homeowner in the sole and exclusive opinion of the Board.

Each person bringing or keeping a pet within the Project shall be absolutely liable to the Association and to other Homeowners and their invited guests for any damage to persons or property caused by any pet brought upon or kept in the Neighborhood by such person or by members of his or her family or invited guests.

Animals belonging to Homeowners or invitees of any Homeowner must be kept within an enclosure or on a leash held by a person capable of controlling the animal.

Uncontrolled animals in the Association Common Elements are subject to be turned over to the Humane Society, and/or the owner of the pet will be subject to a fine levied by the Association.

Pet owners must control their pets at all times so as to not destroy, ruin or otherwise damage planted areas, trees, shrubbery or other landscaped areas on the property.

All pet owners shall be responsible for a pet's nuisance and noise disturbance. Dogs are not to bark unnecessarily or incessantly.

It shall be the duty and responsibility of each such Homeowner to clean up after such animals that have deposited droppings on or otherwise used any portion of the Association Common Elements or any public street abutting or visible from the Property and properly dispose of any animal waste.

### ***DELIVERIES***

Management and the Association cannot be responsible for the acceptance and/or delivery of parcels to a Homeowner's Home in the absence of the Homeowner. Parcels delivered by the U.S. Postal Service that cannot fit in the mailbox must be picked up at the Post Office.

Similarly, the Association and Management may not be held responsible for any other deliveries including floral arrangements, gifts, furniture and the like.

### ***SOLICITING***

It is our goal to prevent you from being subjected to the constant interruption and inconvenience of peddlers, solicitors and surveyors. Soliciting of any nature on any part of the property, premises or Association Common Elements is absolutely forbidden.

### ***INSURANCE***

Each Homeowner shall at all times maintain 1) property insurance against losses to personal property located within the Home and on any exclusive use patio or deck appended to the Home and to any upgrades or Improvements located within the Home and 2) liability insurance against any liability resulting from any injury or damage occurring within the Home or within the boundaries of the lot associated with the Home.

The Association's insurance policies will not provide coverage against any of the foregoing. All Homeowners hereby waive all rights of subrogation against the Association, and any insurance maintained by a Homeowner must contain a waiver of subrogation rights by the insurer as to the Association provided, however, that a failure or inability of a Homeowner to obtain such a waiver shall not defeat or impair the waiver of subrogation rights between the Homeowners and the Association. No Homeowner shall separately insure any property covered by the Association's property insurance policy as described above. If any Homeowner violates this provision and, as a result, there is a diminution in insurance proceeds otherwise payable to the Association, the Homeowner will be liable to the Association to the extent of the diminution. The Association may levy a reimbursement assessment against the Homeowner's Home to collect the amount of the diminution.

### ***TRASH DISPOSAL***

Trash, garbage or other waste shall be kept only in sanitary containers. No Homeowner shall permit or cause any trash or refuse to be kept on any portion of the Common Elements or outside of their Home other than in the receptacles customarily used and located only in places specifically designated for such purpose.

### ***WINDOW COVERINGS***

No Homeowner shall tint, paint or place foil in any window of a Home.

The exterior appearance of window covering should be white, beige or neutral in color. The Architectural Committee shall have final determination whether or not the color of a window covering complies with this section.

## ***RENTAL OF HOMES***

A Homeowner shall be entitled to rent the Homeowner's entire Home (but not a portion thereof) subject to the following guidelines:

All Homeowners who rent their Homes shall submit in writing to the Management Company the names and contact numbers of the tenants.

All Homeowners who rent their Homes shall also be responsible for informing the Management Company of their tenants' vehicle information.

Any rental or leasing agreement shall include the Association's standard lease agreement for the Home and shall provide that any failure to comply with any provision of the Declaration or the Community Documents shall be a default under the terms of the lease agreement.

All rentals or leases, except for family members of the Homeowner of the Home, shall be for a minimum of six months.

A copy of the Governing Documents, including these rules and regulations and any other supplemental documents, shall be provided by the Homeowner to each tenant or lessee.

The Homeowners shall, at all times, be responsible for their tenant's or lessee's compliance with all of the provisions of this Declaration pursuant to the occupancy and use of the Home.

A lessee shall have no obligation to the Association to pay assessments imposed by the Association, nor shall any lessee have any voting rights in the Association.

No Homeowner may lease a Home situated thereon for hotel, motel or transient purposes or any other purpose inconsistent with the provisions of this Declaration.

Use privileges for amenities and Association Common Elements transfer to the lessee or tenant. Homeowner shall have no personal use privileges upon leasing out the Home.

## ***REAL ESTATE BROKER/AGENT RULES***

Real Estate signs may not be placed in the windows or on the deck of any Home other than one (1) sign of reasonable and customary size in the place assigned by the Design Review Committee to advertise the Home for sale or lease.

No 'Open House' signs, flags, banners, etc. shall be displayed on any Home and/or Association Common Elements of Verona.

## ***VIOLATION ENFORCEMENT PROCEDURE***

Any violation of the Governing Documents of the Association, including the Community Handbook, will be processed according to the procedures outlined herein. In the event one or more Members of the Association or Board of Directors file a Violation Report, the Board will act as follows:

Send a letter to the Homeowner stating the violation and the date by which said violation must be cured.

The Homeowner will be notified as to the decision rendered by the Board as a result of the hearing. If the Homeowner is found to be in violation of the Association's Governing Documents, the Board will either:

- a) Seek remedy by use of alternative dispute resolutions such as mediation or arbitration; and/or
- b) Apply monetary fines to the Homeowner's assessment billing; and/or
- c) Choose to correct (or cause to be corrected) the violation and assess the Homeowner for reimbursement of costs.



If the decision is to pursue a monetary fine system, the Association Violation Fine Schedule will apply.

**NOTE:** A violation is defined as an act in conflict with the Governing Documents of the Association. In the event of multiple complaints by a single Homeowner, the Board, in its sole and inviolate discretion, will determine if it will prosecute the violation(s) in question.

### ***VIOLATION FINE SCHEDULE***

First Occurrence - A Notice of Violation with a request to correct or repair the deficiency.

Second Occurrence - A letter with a \$100.00 fine, plus request to correct/repair.

Third Occurrence - A letter with a fine of \$200.00, request to correct/repair. May be referred to the Association's attorney.

**Note:** (1) Fines will continue to double with each repetition of the offense.

(2) The Board of Directors will determine the time for curing of violations for each Homeowner consistent with previously reported similar violations as applicable.

(3) Should a violation occur that imposes financial obligations on the Association, then the responsible party for said violation shall reimburse, by way of special assessment, Verona Home Association for this financial obligation.

### ***PROCEDURE FOR HOMEOWNER HEARINGS***

If you have been invited to attend a hearing for an alleged violation of the Association's Governing Documents, the following procedure will be followed:

You will be introduced to the Board of Directors and other Association representatives.

The acting Chairperson will summarize the reason for your invitation to the hearing.

You may present written or oral evidence to state your position.

The requirements of the Association's Governing Documents will be reviewed for clarification of issues.

The Board may ask you questions.

You may ask the Board questions and make a final statement.

The Board appreciates your participation in the foregoing. The Board may convene in executive session if permitted under the governing documents.

You will be notified of the Board's decision, in writing, within ten business days.

### ***FORMS AND ATTACHMENTS***

The following forms and attachments are provided to Homeowners for use as appropriate.

**Rules And Violations Report** - This form is used to report violations to the Association. Appropriate action will be taken to confirm the violation and commence enforcement per the Enforcement Policy. All reports will be held in confidence and reviewed only by the Board of Directors, Management and the Association's legal counsel if necessary. This form may be faxed or mailed to the Management Company.

**Association Common Elements Work Order Request** -This form is used to report areas

needing maintenance to the Association.

**Lease Agreement Addendum** – If renting out your Home, this must be signed and placed on file with the Association.

# VERONA HOME ASSOCIATION RULES AND VIOLATION REPORT

There must be at least one signature from a Homeowner within the Association to pursue violations that cannot be viewed during an inspection of the community (i.e., barking dog, noise nuisance, garage storage, etc.). Please be as specific as possible to enable the Board of Directors to execute the enforcement process in a timely manner. All alleged violations will be evaluated to ensure that they are considered an infraction as defined by the Association's legal documents.

## REPORT FILED BY:

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Lot #: \_\_\_\_\_

Lot #: \_\_\_\_\_

Phone: \_\_\_\_\_ Date: \_\_\_\_\_

Phone: \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Lot #: \_\_\_\_\_

Lot #: \_\_\_\_\_

Phone: \_\_\_\_\_ Date: \_\_\_\_\_

Phone: \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Signature: \_\_\_\_\_

## VIOLATION INFORMATION:

Name: \_\_\_\_\_ Lot #: \_\_\_\_\_

(Alleged violator's name)

Description of alleged violation: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

(If additional space is needed, please use reverse side of this form)

Date(s) and time(s) alleged violation occurs? \_\_\_\_\_

\_\_\_\_\_

How often does the alleged violation occur? \_\_\_\_\_

\_\_\_\_\_

Date of Report: \_\_\_\_\_

## Lease Agreement Addendum:

**THIS AGREEMENT MUST BE INCLUDED IN ANY LEASE USED BY A HOMEOWNER OF A HOME WITHIN VERONA WHEN LEASING THEIR HOME. WE ASK THAT THIS INFORMATION BE SIGNED AND PLACED IN THE HOME FILE, IN AN EFFORT TO HELP YOU, THE HOMEOWNER, EDUCATE YOUR TENANT AND TO PROTECT YOU AND YOUR INTEREST IN THE ASSOCIATION.**

A Homeowner shall be entitled to rent the Owner's entire Home (but not a portion thereof) subject to the following guidelines:

- All Homeowners who rent their Home s shall submit in writing the names and contact numbers for their tenants to the Association management office.
- Any rental or leasing agreement shall include this addendum, shall provide that the lease or rental is subject to the Governing Documents and the sublease for so long as the sublease exists for the Home and shall provide that any failure to comply with any provision of the Declaration or the Governing Documents shall be a default under the terms of the lease agreement.
- All rentals or leases, except for family members of the Homeowner of the Home, shall be for a minimum of six months.
- A copy of the Governing Documents, including these rules and regulations and any other supplemental documents, shall be provided by the Homeowner to each tenant or lessee.
- The Homeowners shall, at all times, be responsible for their tenant's or lessee's compliance with all of the provisions of this Declaration pursuant to the occupancy and use of the Home.
- A lessee shall have no obligation to the Association to pay assessments imposed by the Association, nor shall any lessee have any voting rights in the Association.
- No Homeowner may lease a Home situated thereon for hotel, motel or transient purposes or any other purpose inconsistent with the provisions of the Declaration.
- Use privileges for amenities and Association Common Elements transfer to the lessee or tenant upon move in. Homeowner shall have no personal use privileges upon leasing out the Home.

I have read and understand the Lease Agreement for Verona Homes. I have understand and agree that whether or not I have made arrangements as part of my lease for my tenant to reimburse me for the Homes assessment, I am still responsible to the Association for the assessment. I understand that if my tenant violates the Rules of the Association, and incurs fines, whether or not I make personal arrangements for my tenant to reimburse me, I am still responsible to the Association for any fines levied against my Home. I understand that any lease must be for a minimum of six months, and I will provide the tenant's name and contact information to the Association.

Property Owner: \_\_\_\_\_ Date: \_\_\_\_\_

Lot #: \_\_\_\_\_ Address: \_\_\_\_\_

Homeowner/Resident's Signature (s) \_\_\_\_\_

\_\_\_\_\_

# Verona

## DESIGN GUIDELINES

These Design Guidelines have been prepared to give Homeowners at Verona a comprehensive understanding of the design review (architectural modification) process. The following table of contents outlines specific areas of information. However, it is suggested you read this entire manual before proceeding with any Request for Design Modification. Application request forms are available from the Management Company. Additionally, a sample of the application form has been included.

### ***Authority***

The Board of Directors, by authority provided in the Declarations, has been established as the Design Review Committee (“the Committee”). Any additional members of the Committee are appointed by the Board to assist the Board in their responsibility of monitoring the design integrity of the Community. In order to carry out these responsibilities, the Committee has developed the standards and guidelines described herein. The Committee will function in the following capacity:

Receive requests and proposals for alteration and/or construction work to be undertaken by any Homeowner.

Make recommendations to the Board as to the acceptability, quality of design, workmanship and materials of such requests, following consistently the guidelines established here.

Monitor overall exterior design compatibility by identifying violations and accepting complaints from individual Homeowners relating to violations of others.

### ***Purpose***

The objective of Design Review is to foster the following goals:

Preserve the attractiveness and quality of our living environment.

Preserve, protect and enhance property value.

Maintain the integrity of those areas which have discernible character and which might have special significance. Therefore, as Homeowners it is in everyone’s interest that the overall integrity of the community is maintained. In our effort to do so, we intend to:

- a. Preserve environmental harmony.
- b. Maintain architectural character and harmony.
- c. Maintain structural integrity.
- d. Ensure the quality of workmanship and materials.

In an effort to meet these objectives, the Committee is committed to consistent application of guidelines and standards. They will be applied fairly, in a timely manner and in good faith. The guidelines are not intended to stifle creative initiative in favor of stereotypes. Proposals and plans will be considered reasonably and professionally.

## **THE APPLICATION PROCESS**

Any Homeowners who are planning to remodel their Home other than finish modifications, (which were completed by the initial buyers working with the Builder), must submit plans and receive approval from the Board. Qualifying remodel project include construction or demolition of exterior walls, roofing or any other modification, which may affect Common or shared Elements.

Prior to initiating any structural improvements, or alteration to any Home, an applicant shall make a written request for any architectural change, by submitting a complete "Application for Architectural Modification" form, together with detailed plans and specifications, showing proposed modifications.

An applicant requesting an architectural change shall seek and receive a building permit from the City of Camas, where necessary. All proposed changes must conform to all applicable codes. The Committee is not responsible for discerning whether or not the proposed work requires permits.

Within thirty (30) days from proper application for approval, the Committee shall consider and act upon such application. In the event the Committee fails to approve or disapprove any such final plans within thirty (30) days, after all documents and information requested by the Committee have been received, the application shall be deemed approved, provided that the proposed improvements conform to all conditions and restrictions contained in the Declaration and Design Review Guidelines.

The Committee will recommend approval or denial of the request according to established standards and policies previously approved by the Board of Directors, guidelines established by the Committee and conformance with the Declaration. If the request does not fall within established guidelines or is without precedent, the Committee will make policy recommendations to the Board as to the disposition of the request at the Board's regularly scheduled meeting.

The Board is responsible for approval or denial of all requests, unless it decides to grant this authority to the Committee. The Homeowner will be notified in writing of the decision.

In the event that the Board and/or Committee does not approve the application, the applicant may be asked to comply with whatever requests the Board makes for further information, modification to the proposal, etc.

If an initial request has been denied, the applicant may submit an amended request that complies with established policies and guidelines.

If a request is denied, the applicant may appeal the decision by directing a letter to the Board of Directors, requesting a hearing. The Board must receive the written request not more than thirty (30) days following the final decision of the Committee. Within thirty (30) days following receipt of written request for appeal, the Board shall render its written decision. The failure of the Board to render a decision within the thirty (30) days shall be deemed a decision against the applicant.

If the request is approved and the Committee has determined the requested modification(s) will result in increased maintenance, the approval letter will state that an amount shall be paid in advance as a condition of approval of the change.

Before construction commences, all fees shall be paid and all insurance certificates, bonds and building permits shall be posted and submitted to the Management Company.

Copies of all requests, plans, specifications and subsequent correspondence will be kept in the individual Homeowner's File. The Chairman of the Committee will sign all correspondence regarding approval or denial.

If an approved alteration is not completed within the time limits established when approval was granted, the Board may cancel the permission upon ten (10) calendar days written notice to the Applicant/Homeowner. Further, any uncompleted projects as noted above, which affect Common Elements or the integrity of the building, may be completed by the Association at the Owner's expense.

### **CONDITIONS FOR ALTERATIONS, ADDITIONS AND REMODELING**

Applicant agrees and understands that in the event the Board approves the Application for Architectural Modification, the Board may impose special conditions of construction and maintenance on the approved work. Any special conditions will be attached and be a part of the "Permit for Architectural Alteration."

Applicant shall ensure that installation of window coverings is in compliance with the rules regarding Window Coverings as outlined in the Association's Rules and Regulations.

Applicant shall be responsible to see that the work is carried out in compliance with all governmental laws, ordinances and regulations, and that any permit(s), license(s), bonding or insurance which may be required in connection with the job are obtained before the start of work.

Applicants shall be responsible to see that contractors haul away any surplus building materials. No flammables are to be stored in the Home.

Applicants shall indemnify and hold the Association harmless from any and all claims, suits and actions (including Mechanics Liens) by or on account of any acts or omission of the contractor, the contractor's agent or servants, or arising in any way out of the performance of the work covered in this job. All contractors and Trades are required to post certificates of insurance for public liability and property damage specifically naming the Association (Verona Owner's Association) and the Management Company as an 'Additional Named Insured.'

A representative designated by the Association will have the right to enter and observe work in progress to monitor its compliance with the approved plans and adherence to this agreement. **No modification or change in approved plans, specifications or special conditions shall be made without the prior written approval of the Association.**

If the applicant fails to comply with the permit conditions and requirements, the Association is authorized to take whatever action is necessary or reasonable to correctly complete or restore the Home or affected Association Common Elements. In this circumstance, all costs incurred by the Association plus a monetary fine will be assessed against the Owner's property. Such costs may include but are not limited to:

- a. Reconstruction or repair to the and its related costs,
- b. Reconstruction or repair to the Association Common Elements,
- c. Attorneys fees,

d. Court costs.

Applicant will inform all other Homeowners who may be affected by such alteration work of the nature of the work and the extent to which they may reasonably expect to be affected thereby..

Applicant shall take all precautions and shall bear all risks with respect to damage to the building structure and its installation and equipment, and the property of all other Homeowners, including, but not limited to damage caused by weather, water, steam, electrical, fire or any other cause attributable to the work performed by or for applicant. Applicant will be responsible for full cost of repairs incurred by the Association due to any failure to comply herewith or by the performance of the alteration work.

All alteration and structural changes shall be performed in such a manner and at such time as not to disturb other occupants of the building or the operation of the building services. All work shall be performed only between the hours of 8:00 a.m. and 6:00 p.m. Monday through Friday, only. No work shall be performed on Saturdays, Sundays or Holidays.

Construction will begin within thirty (30) days of approval from the Committee, and shall then be completed within ninety (90) days from the beginning of construction, unless the Committee grants a longer time period for completion due to the scope of the Project. Construction that takes place longer than the approved time period shall be subject to a fine of \$100 per working day by the Association.

Once the architectural modification has been completed, the modification must be inspected by the Association in order to ascertain if all Common Systems and Elements have been completed in accordance with the modified design or as a result of the approved modification. The Association will not consider the work complete until an inspection has been completed and the Project approved. Inspection by the Association does not warranty or guarantee the structural component or design integrity of the Homeowner's modification.

Homeowner (Applicant) and Homeowner's heirs, successors and assigns hereby indemnify and hold harmless the Association from all defects in products, workmanship or design arising from or out of the alteration(s) or modification(s) performed by the Homeowner or the Homeowner's agents.



## **CONSTRUCTION REQUIREMENTS FOR HOME MODIFICATIONS WHICH AFFECT EXTERIOR OF THE HOME**

The following requirements are designed to ensure that Home modification work undertaken by individual Homeowners does not negatively affect the integrity of their home nor create an unnecessary nuisance to other Homeowners.

### *Procedure for Submittal of Documentation*

All necessary information and documentation regarding Home modification shall be submitted to the Board of Directors. Construction drawings for all intended Home modification work must be submitted for review and approval prior to the commencement of any work. The Board of Directors will review the drawings, at the Homeowner's expense, to determine if further architectural and/or engineering review is necessary. If it is determined by the Board of Directors that the intended modifications do in fact affect the building infrastructure, a review of the construction drawings, at the Homeowner's expense, may be undertaken by a Consultant selected by the Board.

### *Procedure upon Approval by the Board of Directors*

Upon written approval by the Board, the Homeowner may begin the scheduling of work on the Home. Prior to the commencement of any work, the Homeowner must provide the Board with the following:

**Permits** - A copy of all applicable building permits as required by the City of Camas. It is the responsibility of the Homeowner to determine the permit requirements.

**Insurance** - The contractor's insurance certificates for Worker's Compensation and liability insurance are required. The limits for the liability coverage shall be at least \$1,000,000. The limits for Worker's Compensation are statutory. The insurance certificates must name the Association (Verona Owners Association), the Property Management Company and Builder (Landing Development, LLC), as long as the Builder owns any Homes, as "Additional Named Insured."

**Bond** - The contractor's Performance and Payment Bond. The stipulated amount of this bond will be for an amount equal to the dollar value of the infrastructure work.

### *Schedule of Anticipated Interruption of Service*

Any interruption in services must be scheduled a minimum of seven (7) days in advance. The schedule and duration of this interruption is subject to the approval of the Board and notice to the surrounding affected Homes.

### *Mechanics Liens*

An unconditional lien release shall be submitted to the Board upon completion of work following the receipt of final payment of any preliminary lien notices sent to Verona and to the Builder. The Homeowner will be assessed for the value of the lien if the lien release is not provided to the Association.

### *General Provisions*

All Association Rules and Regulations governing the creation of a nuisance shall be strictly enforced. Work that may be disturbing to other Homeowners shall be restricted to the hours of 8:00 a.m. to 6:00 p.m., Monday through Friday. To protect the quiet enjoyment of all Homeowners, no work will be allowed on Saturdays, Sundays or Holidays.

**VERONA HOMEOWNER'S ACKNOWLEDGMENT**

I have received, read and agreed to abide by the procedures for application and rules for construction as outlined in Verona's "Design Guidelines" and "Construction Requirements for Modifications which Affect Building Infrastructure". I understand that I have absolutely no rights under the Declarations to modify the building infrastructure. The only way I may ever alter the building infrastructure is to follow all of the procedures for application and rules for construction.

\_\_\_\_\_  
Homeowner

\_\_\_\_\_  
Lot #

\_\_\_\_\_  
Date

\_\_\_\_\_  
Homeowner

\_\_\_\_\_  
Lot #

\_\_\_\_\_  
Date

\_\_\_\_\_  
Full Address

## VERONA APPLICATION FOR ARCHITECTURAL MODIFICATION

This Application should be completed in triplicate, including all pertinent information regarding the proposed modification. Submit your Application (all three copies) to the Design Review Committee. One copy will be returned to you indicating Committee approval or disapproval, one copy will be retained by the Committee, and one copy will be filed with the Board of Directors in the Home record. Please note that Committee approval does not relieve applicant from obtaining the necessary building permits from governmental agencies with jurisdiction.

Homeowner Name: \_\_\_\_\_ Date of Request: \_\_\_\_\_

Address: \_\_\_\_\_ Building # \_\_\_\_\_ Lot # \_\_\_\_\_

Work Phone: \_\_\_\_\_ Home Phone: \_\_\_\_\_

Description of Improvement: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Items Attached: \_\_\_\_\_ Plot: \_\_\_\_\_ Rendering: \_\_\_\_\_ Cross Section: \_\_\_\_\_ Photo: \_\_\_\_\_

Other: \_\_\_\_\_

### DESIGN REVIEW COMMITTEE

Date Received: \_\_\_\_\_ Approved: \_\_\_\_\_ Disapproved: \_\_\_\_\_

Conditions of Approval/or Reason for Disapproval: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

### BOARD OF DIRECTORS APPEAL REQUEST

You may request the Design Review Committee to place you on the agenda of the next Board meeting. Action at the Board meeting:

Approved: \_\_\_\_\_ Disapproved: \_\_\_\_\_ Reason for Approval or Disapproval: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Date: \_\_\_\_\_ Signature of Board Officer: \_\_\_\_\_

**VERONA FACING, ADJACENT AND IMPACTED NEIGHBOR STATEMENT**

**FACING NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**ADJACENT NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**ADJACENT NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**IMPACTED NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**IMPACTED NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**IMPACTED NEIGHBOR:**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_ Building # \_\_\_\_ Lot # \_\_\_\_

**SUBMITTED BY:**

Name: \_\_\_\_\_ Home Phone: \_\_\_\_\_

Address: \_\_\_\_\_ Work Phone: \_\_\_\_\_

Building # \_\_\_\_ Lot # \_\_\_\_

The attached plans were made available to the above neighbors for review. They have been notified that I am submitting these plans for Design Review Committee approval.

Signature of Homeowner(s): \_\_\_\_\_

Date: \_\_\_\_\_

**VERONA NOTICE OF COMPLETION OF MODIFICATION**

Name: \_\_\_\_\_ Home Phone: \_\_\_\_\_

Address: \_\_\_\_\_ Work Phone: \_\_\_\_\_

Building # \_\_\_\_\_ Lot # \_\_\_\_\_

On the \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_, the modification(s) on the described property was (were) COMPLETED in accordance with the plans and submittal package which was approved by the Architectural Committee.

The completed modification(s) is (are): \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Signature of Homeowner: \_\_\_\_\_ Date: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

**STAPLE PHOTOS OF MODIFICATION(S) HERE:**

# Important Information About Your Home

We are interested in providing complete, accurate information on your new Home. The following pages have important facts about your new Home, the materials that were used in construction and other details that will complete your knowledge of the Home. Please review this section carefully.

In addition to the following information, it is possible that there are specific items that pertain only to your Home. Your Sales Representative and the Warranty Department are your best sources of additional information about your new Home.

After you occupy your new Home, please direct all Customer Service questions to the Warranty Department. You will find the contact numbers for Customer Service in the section, Warranty Department.

## **Color Variance**

Variations in color occur in all manufactured products. Manufacturers may discontinue certain colors and products. Although every effort is made to provide consistent color, variances may also be noticeable in paint, masonry, stucco, tile, carpet, cultured marble surfaces and other colored surfaces. Exposure to the sun and water will alter the color more rapidly. **These variances may be especially noticeable where a repair has been made. An exact color match of materials during the initial construction of your Home or during subsequent repairs is not something that is covered by your Limited Warranty.**

## **Concrete, Masonry**

Due to the extreme weather and temperature in this area and to the nature of concrete, and masonry, it is normal for concrete to shrink and expand. This can result in normal, hairline cracks on the surface, which do not affect the strength, performance or purpose of the concrete, masonry or stucco.

Your Limited Warranty does not cover such normal shrinkage or surface cracking of the building slab or adjacent concrete or masonry. Please see the section in this manual on Construction Standards for information on this subject.

## **Construction Methods**

The Builder builds Homes that meet or exceed local building codes. Construction methods can vary from Home to Home due to variations in plans, elevations and the requirements of building codes.

## **Design**

Homes can have design features that differ from those in the illustrations and printed plans. The differences could be in materials, interior and exterior colors, surface coverings, doors, windows, garage doors and other features. The Builder reserves the right to change design without obligation or notice. If a modification is made, the materials will be of equal or superior quality.

## **Dimensions**

Homes can have different interior and exterior dimensions than those of the printed plans. The differences can result from variations and other factors. The differences can be seen in ceilings,

windows, room size, cabinets and in other areas. Do not use the "Model" as a measuring guide for decorator items, wallpaper, floor coverings or other items.

### **Fire Suppression Features**

Your Home is equipped with a fire suppression system that features sprinkler heads in key areas of your Home. The sprinkler heads detect the heat from a fire and deliver water to extinguish the fire.

**DO NOT TOUCH THE SPRINKLER HEADS, DO NOT PERMIT TOYS OR OTHER OBJECTS TO STRIKE THE SPRINKLER HEADS AND DO NOT HANG DECORATION OR OTHER ITEMS FROM THE SPRINKLER HEADS.**

If the sprinkler heads are activated accidentally, the spray of water can damage flooring, furniture and other objects. Report malfunctioning or dripping sprinkler heads or any accumulation of water around or on surfaces below the sprinkler heads to Customer Service immediately as an emergency item. Take immediate steps to prevent water damage to your property.

**IN THE EVENT OF AN ACTUAL FIRE, CALL 911 AND REPORT THE FIRE AT ONCE. TAKE YOUR FAMILY TO SAFETY WITHOUT DELAY.**

### **Future Development**

Because the Builder has neither control nor influence over future development on nearby or adjacent properties no warranty guarantee is made for future development.

### **Heating**

The temperature in your new Home may vary from room to room. This variation is normal. The Builder will make every effort during the Limited Warranty period to balance your system to achieve overall efficiency and comfort, however, ideal balance is not always possible.

#### ***Important Facts You Should Know About Your Heating System:***

An efficient system has been installed. This allows you to "set back" your thermostats to raise and the temperature level to your comfort and in the rooms you select to your comfort level.

Please see the manufacturer's brochure for information on possible solutions to problems with your heating system.

Avoid excessive adjustments of your thermostat(s). When you have found a temperature that you prefer, it is best to leave the thermostat at that setting.

Shades, drapes, shutters or screens should be installed on windows exposed to direct sun light. Sun screens, shades, drapes, shutters and blinds are subject to approval by the Association or must conform to your Declaration.

### **Homeowners Association**

The Homeowners Association, where applicable, is responsible for certain Common Elements and budgets for such maintenance. Monthly dues are required.

### **Homeowner Maintenance Responsibility**

The features and systems in your new Home require routine maintenance. Refer to the Maintenance section in this manual and in the manuals of your appliances and, if necessary, please consult a professional for advice on your maintenance requirements. Damage, deterioration and destruction of items due to improper or inadequate maintenance by the Homeowner are not covered by your Limited Warranty.

## **Homeowner Orientation Items**

Items for repair or replacement noticed during the Homeowner Orientation must be noted in writing on the approved Orientation form. These items will be completed as soon as possible. It is possible that some items may be completed after the close of escrow. Due to availability of repair/replacement materials or Trade availability. Any item that the Builder will not correct will be addressed in writing and the specific reason will be given. The Builder will make every effort to complete any warranty items prior to the close of escrow, however, all items will be completed within 30 days from the close of escrow.

## **Marketing**

The representations of features, settings, finishes and other items that are used in advertising and sales materials may differ from those in actual Homes.

## **Mildew**

Mildew results when moisture accumulates in a confined area. Windows should be opened as often as possible to allow the interior of your Home to air and dry out.

## **Plumbing Fixtures**

Plumbing fixtures are susceptible to damage and staining if water is permitted to stand on the surfaces or if an abrasive cleansing product is used.

## **Substitution**

Substitute materials that may differ from those in the Model may have been used in the construction of your Home due to situations beyond the control of the Builder. Substituted materials will be of equal or superior quality.

## **Tiles**

The color of manufactured tiles can vary from tile to tile. The consistency of tile color is not warranted. Further, no representation or warranty is made that the tile colors and finishes in your new Home will be available in the future.

## **Unauthorized Options**

The Builder does not permit the installation of options by anyone other than the Builder, Builder and it's Trades prior to the close of escrow. Additionally, all options must be submitted in writing on provided forms then accepted and signed by an officer of the Builder prior to installation.

## **Upgrades by Buyers**

The use of independent Trades, other than those who are under contract with the Builder and contracted by the Builder, will void any warranty, implied or written, with respect to any and all damage caused, directly or indirectly, as a result of the work. All systems, features and structures of the Home are included.

## **Views**

No representation or warranty is made with respect to the presence or absence of views or scenes that are visible from your new Home. Such views and scenes can be blocked or changed by future development, the growth of plants and other activities.

## **Water Pressure**

Your Limited Warranty does not include any representation or warranty that the current water pressure level will prevail in the future.



# A Word About Mold and Indoor Air Quality

## MOLD AND MILDEW

### *What is Mold?*

Mold is a type of fungus, which occurs naturally in the environment and is necessary for the natural decomposition of plant and other organic material. It spreads by means of microscopic spores borne on the wind, and is found everywhere life can be supported. Home construction is not, and cannot be, designed to exclude mold spores. If the growing conditions are right, mold can grow in your Home. Most Homeowners are familiar with mold growth in the form of bread mold, and mold that may grow on bathroom tile.

In order to grow, mold requires a food source. This might be supplied by items found in the Home, such as fabric, carpet or even wallpaper, or by building materials, such as drywall, wood and insulation, to name a few. Also, mold growth requires a temperate climate. The best growth occurs at temperatures between 40°F and 100°F. Finally, mold growth requires moisture. Moisture is the only mold growth factor that can be controlled in a Home setting. By minimizing moisture, a Builder can reduce or eliminate mold growth.

Moisture in the Home can have many causes. Spills, leaks, overflows, condensation or high humidity are common sources of Home moisture. Good housekeeping and Home maintenance practices are essential in the effort to prevent or eliminate mold growth. If moisture is allowed to remain on the growth medium, mold can develop within 24 to 48 hours.

### *Should I be concerned about mold in my Home?*

All mold is not necessarily harmful, but certain strains of mold have been shown to have adverse health effects in susceptible persons. The most common effects are allergic reactions, including skin irritation, watery eyes, runny nose, coughing, sneezing, congestion, sore throat and headache. Individuals with suppressed immune systems may risk infections. Some experts contend that mold causes serious symptoms and diseases which may even be life threatening. However, experts disagree about the level of mold exposure that may cause health problems, and about the exact nature and extent of the health problems that may be caused by mold.

### *What Homeowners can do:*

Homeowners can take positive steps to reduce or eliminate the occurrence of mold growth in the Home, and thereby minimize any possible adverse effects that may be caused by mold. The steps include the following:

Before bringing items into the Home, check the items for signs of mold on the items. For example, potted plants (roots and soil), furnishings, or stored clothing and bedding material, as well as many other household goods, could already contain mold growth.

Regular vacuuming and cleaning will help reduce mold levels. Mild bleach solutions and most tile cleaners are effective in eliminating or preventing mold growth if used in accordance with the manufacturer's recommendations.

Keep the humidity in the Home low. Vent clothes dryers to the outdoors. Ventilate kitchens and bathrooms by opening the windows and by using exhaust fans to facilitate evaporation of water from wet surfaces.

Promptly clean up spills, condensation and other sources of moisture. Thoroughly dry any wet surfaces or material. Do not let water pool or stand in your Home. Promptly replace any materials that cannot be thoroughly dried, such as drywall or insulation.

Inspect for leaks on a regular basis. Look for discolorations or wet spots. Repair any leaks promptly. Inspect condensation pans (refrigerators and air conditioners) for mold growth. Take notice of musty odors, and any visible signs of mold.

Should mold develop, thoroughly clean the affected area by first testing to see if the affected material or surface is color safe. Porous materials, such as fabric, upholstery or carpet should be discarded. Should the mold growth be allowed to become severe; call on the services of a qualified professional cleaner immediately.

There may also be other sources of information on mold.

Whether or not you as a Homeowner experience mold growth depend largely on how you manage and maintain your Home. Each Homeowner will need to take actions to prevent the conditions, which cause the mold or mildew to grow. It is the responsibility of each Homeowner to take the necessary precautions to prevent mold from becoming a problem in such Homeowner's Home. This is part of the responsibility of Home ownership. Each Homeowner agrees to assume responsibility for following the recommendations set forth above and in the Mold Information Sheet. The Builder further acknowledges that if there is any water damage or water intrusion to the Homeowner's Home, the Builder will take immediate action to prevent conditions which cause mold or mildew to develop.

# Maintenance of Your Home

Maintenance by the Homeowner is limited to the interior of your Home as defined in your purchase agreement documents. The maintenance of the Common Elements is the responsibility of the property Management Company as directed by the Association.

Your new Home has been built with quality materials and by licensed Trades. It was designed with the needs of your family in mind. It will require your completion of regular preventive maintenance by you to preserve its beauty and value. An understanding of how to care for each feature in your new Home will prevent costly repairs and replacements later.

## **READ THE FOLLOWING SECTION OF THIS MANUAL TO BECOME FAMILIAR WITH THE PROCEDURES FOR MAINTENANCE.**

This area experiences a wide range of temperatures each day. These temperature variations affect our building practices and your Home. Building materials such as wood and concrete are subjected to constant expansion and contraction from day to day. This can result in minor warping of wood materials and hairline cracking of drywall, concrete and mortar. These effects are particularly obvious in the first year after a new Home has been built.

You can minimize these effects by maintaining a constant temperature in your Home. This allows the wood to dry at an even rate and may eliminate larger settlement cracks. Minor cracks and displacement of wood are a normal part of your Homes aging process and do not affect its structural integrity.

We have provided an overview of the features and materials in your new Home. Please study each section carefully so that you become familiar with the routine maintenance your Home requires.

Prior to conducting a maintenance or architectural modification such as repainting, please consult your Homeowners Association. This will make sure that the work you do meets the regulations and guidelines established for the Verona Homes. Be especially careful when you plan to change a paint color or when you install window coverings that are visible from outside the Home.

### **Alarm System**

If your Home selections included pre-wire for an alarm system, you will arrange for the final connection after your move-in. The alarm company will demonstrate the system and instruct you in its use. We recommend that you test the system each month.

### **Appliances**

Read and follow all manufacturers' recommendations for the use and maintenance of each appliance in your Home. Keep these recommendations available for reference.

### **Manufacturer's Service**

If a problem arises with an appliance, call the Customer Service number listed in the manufacturer's warranty. When reporting warranty items to the appliance manufacturer, be prepared to supply the following details:

- Date of Purchase (your closing date)
- Serial and model numbers

- Description of the problem

### **Registration**

Mail warranty registration cards directly to the manufacturer. See your manufacturer literature for a description of coverage.

### **Your Clothes Dryer**

**It is very important to remove lint from the lint trap before drying each load of clothes.** If lint is allowed to accumulate, the lint will bypass the lint trap and accumulate in the dryer vent. This can cause, over time, the potential for fire. This will also cause the dryer to work harder than is necessary; clothes will take longer to dry and limit the life of the dryer.

### **Attic Access**

The attic space is neither designed nor intended for storage. We provided access to this area for maintenance only when you perform needed tasks in the attic, use caution and avoid stepping off wood members onto the drywall. This can result in personal injury or damage to the ceiling below.

### **Cabinets**

Your cabinet fronts are made of laminates and wood. With proper care, the beauty and utility of your cabinets will last for many years. **Remove any splashes and splatters promptly to avoid permanent stains.**

The wood in your cabinets is a natural product and is subject to drying and warping. This could cause drawers to stick and prevent doors from closing properly. If you notice such issues during the Limited Warranty period, please notify the Warranty Department in writing. After that, maintenance of cabinet drawers and doors is the responsibility of the Homeowner.

Minor scratches can be covered with a putty stick that matches the finish of your cabinets. Putty sticks can be purchased at paint or hardware stores. This maintenance is the responsibility of the Homeowner.

If your cabinets are painted, **please know that exact color matches for repairs or replacements are not possible.** This is because several factors, including light, cooking odors and gases and general use will cause painted surfaces to change color over time. Keep the painted surfaces clean and dry. Smudges should be wiped with a soft damp cloth and the surface dried promptly.

**“Under Counter” appliances that generate heat or steam, including coffee makers and some radios, can damage the wood and the surface paint of cabinets. If the Homeowner installs these appliances, any damages are the responsibility of the Homeowner.**

The hinges on your cabinet doors can be lubricated, if necessary, with oil based lubricant. Apply a very small drop of oil to the top of the hinge and work the door back and forth several times so the oil will penetrate into the hinge. Wipe the excess oil with a dry paper towel immediately.

**IT SHOULD BE NOTED THAT IT IS NOT UNUSUAL FOR THE COLOR OF THE INSTALLED CABINETS TO BE DIFFERENT FROM SAMPLES SHOWN AT THE TIME OF SELECTION. COLOR CAN DIFFER WITH WOOD GRAIN VARIATIONS AND STAIN USED. SOME COLOR VARIATION ON STAINED AREAS IS TO BE EXPECTED.**

## **Carpet**

### **Cleaning**

You can add years to the life of your carpet with regular care. Carpet wears out because of foot traffic and dirt particles that get trampled deep into the pile beyond the suction of the vacuum. The dirt particles wear down the fibers like sand paper and dull the carpet. The most important thing you can do to protect your carpet is to vacuum frequently.

Vacuum twice each week lightly and once each week thoroughly. Heavy traffic areas may require more frequent cleaning. A vacuum cleaner with a beater bar agitates the pile and is more effective in bringing dirt to the surface for easy removal.

Vacuuming high-traffic areas daily helps keep them clean and maintains the upright position of the nap. Wipe spills and clean stains immediately. For best results, blot or dab any spill or stain; avoid rubbing. Test stain removers on an out-of-the-way area of the carpet, such as in a closet, to check for any undesirable effects. Have your carpet professionally cleaned on a regular basis, usually once a year.

Some problem conditions that may occur with your new carpet and our suggested remedies are presented below.

### **Burns**

Take care of any kind of burn immediately. First snip off the darkened fibers, then use a soap-free cleaner and sponge with water to clean the affected carpet. If the burn is extensive, talk with a professional about replacing the damaged area.

### **Crushing**

Furniture and traffic may crush a carpet's pile fibers. Frequent vacuuming in high-traffic areas and placing glides or cups under heavy pieces of furniture can help prevent this. Rotating your furniture to change the traffic pattern in a room promotes more even wear. Some carpets resist matting and crushing because of their level of fiber, but this does not imply or guarantee that matting or crushing will not occur. Heavy traffic areas such as halls and stairways are more susceptible to wear and crushing. This is considered normal wear and tear.

### **Fading**

Science has yet to develop a color that will not fade with time. All carpets will slowly lose some color due to normal and artificial forces in the environment. You can delay this process by frequently removing soil with vacuuming, regularly changing air filters in heating and air conditioning systems, keeping humidity and room temperature from getting too high, and reducing sunlight exposure with window coverings.

### **Filtration**

If interior doors are kept closed while the air conditioner or furnace is operating, all of the air coming through the vent is forced to flow out from the closed room through the small space at the bottom of the door. This forces the air over the carpet fibers, which in turn, acts as a filter, catching particulate pollution. Over time, a noticeable stain develops at the threshold. If possible, leave doors slightly ajar.

### **Seams**

Carpet usually comes in 12-foot widths, making seams necessary in most rooms. Visible seams are not a defect unless they have been improperly made or unless the material has a defect, making the seam appear more pronounced than normal. The more dense and uniform the carpet texture is, the more visible the seam will be. Carpet styles with low, tight naps result in

the most visible seams. Seams are never more visible than when the carpet is first installed. Usually with time, use, and vacuuming, the seams become less visible.

### **Shading**

Shading is an inherent quality of fine-cut pile carpets. Household traffic causes pile fibers to assume different angles. As a result, the carpet appears darker and lighter in such areas. A good vacuuming, which makes the pile all go in the same direction, provides a temporary remedy.

### **Shedding**

New carpeting, especially pile, will shed bits of fiber for an initial period of time. Eventually, these loose fibers are removed by vacuuming. Shedding usually occurs more with wool carpeting than with nylon or other synthetics.

### **Snags**

Sharp-edged objects can grab or snag the carpet fiber. When this occurs, cut off the snag. If the snag is especially large, call a professional.

### **Stains**

No carpet is stain-proof. Although your carpet manufacturer designates your carpet as stain-resistant, some substances may still cause permanent staining. Examples include: hair dyes, shoe polish, paints, and ink. Some substances destroy or change the color of carpets, including bleaches, acne medications, drain cleaners, plant food, insecticides, and food or beverages with strongly colored natural dyes as found in some brands of mustard and herbal tea.

Refer to your care and maintenance brochures for recommended cleaning procedures for your particular fiber. Pretest any spot-removal solution in an inconspicuous area before using it in a large area.

### **Static**

Cooler temperatures outside often contribute to static electricity inside.

### **Caulking**

Time and weather will shrink and dry caulking so that it no longer provides a good seal. As part of your routine maintenance, check the caulking and make needed repairs AT LEAST ONCE PER YEAR. Caulking compounds and dispenser guns are available at hardware stores. Read the manufacturer's literature carefully to be certain that you select an appropriate caulk for the intended purpose.

#### **Colored Caulk**

Colored caulking is available where larger selections are provided. As with any colored material, dye lots can vary.

#### **Latex Caulk**

Latex caulking is appropriate for an area that requires painting, such as baseboard and door casing.

#### **Silicone Caulk**

Caulking that contains silicone will not accept paint. It works best where water is present, for example, where tub meets tile or a sink meets a countertop.

## Ceilings & Walls

The ceilings and walls in your Home are easy to maintain. They do not require special attention other than an occasional cleaning and periodic painting.

Remove dust or cobwebs as part of your routine cleaning. When needed and as a part of your regular maintenance, you may want to repaint. Before you use any cleaner, test it on a section of paint that is out of normal view.

If your ceiling features luminous light fixtures, you should follow these tips. **Do not use cleaning solvents or other strong chemicals on the plastic panels.** We recommend that you wash the panels in a mild solution of dish washing liquid and water to wipe the grids with a soft cloth. Towel dry the panels and grids to remove any soap residue and water spotting.

## Concrete

By maintaining good drainage, you protect your Homes foundation and the concrete flatwork in your porch, patio, driveway, garage floor, and sidewalks.

Repeated cleaning of the garage floor by hosing with water can increase soil movement by allowing water to penetrate any existing cracks. We recommend sweeping to clean the garage floor.

## Cracks

A concrete slab 10 feet across shrinks approximately 5/8 inch as it cures. Some of this shrinkage will show up as cracks. Cracking of concrete flatwork also results from temperature changes that cause expansion and contraction.

During the summer, moisture finds its way under the concrete along the edges or through cracks in the surface. In winter, this moisture forms frost that can lift the concrete, increasing the cracking. Maintaining drainage away from all concrete slabs will minimize cracking from this cause. As cracks occur, seal them with a waterproof concrete caulk (available at hardware or home improvement stores) to prevent moisture from penetrating to the soil beneath.

## Expansion Joints

We install expansion joints to help control expansion. However, as the concrete shrinks during the curing process, moisture can penetrate under the concrete and lift the expansion joint. When this occurs, fill the resulting gap with a gray silicone sealant, which you can purchase at most hardware stores.

## Chemicals

Protect concrete from abuse by chemical agents such as fertilizers, pet urine, radiator overflow, oil, and salt or rock salt. All of these items can cause spalling (chipping of the surface) of concrete.

## Sealer

A concrete sealer, available at paint and home improvement stores, will help you keep an unpainted concrete floor clean. Do not use soap on unpainted concrete. Instead, use plain water and washing soda, or if necessary, a scouring powder.

## Condensation

Condensation on the interior surfaces of the windows and frames comes from high humidity within the Home, combined with low outside temperatures and inadequate ventilation. Family lifestyle significantly influences these conditions.

## Counter Tops

The counter tops in your Home may be constructed of granite, laminates or ceramic tile. They are designed to provide years of use. **Any flaws or damage to your counter tops must be noted during your Homeowner orientation so as to be covered by the Limited Warranty. After you have moved in, the care of your counter tops is your responsibility.**

We offer these instructions to assure that your counter tops remain beautiful and functional:

Always use a cutting board to protect your counter tops when you prepare food. While minor scratches that can result from cutting food may not be noticeable at first, in time they will dull and mar the luster of the finish. This can happen to even the hardest ceramic tile.

Wipe up spills immediately. Some liquids, particularly hot ones, can cause almost imperceptible stains on ceramic tile grout and plastic laminate. In time, the stains can accumulate and become unsightly.

Be careful to avoid dropping pots and pans and other kitchen items on your counter tops. This can break or chip the counter's surface.

Counter tops can be damaged by sitting on them. Excessive weight can cause warping, drawer malfunction or may cause the top to pull away from the wall.

### ***Granite and Marble***

Care for granite and marble as you would any fine finish such as furniture. Wipe off granite and marble countertops promptly when there is a spill or other moisture. This is especially important when the spills are fruit juices or other acidic liquids. Natural stones are alkaline and are subject to disfiguring by acidic liquids.

Sealers that are formulated for granite and marble should be used. These products permit the stone to breathe but protect these surfaces from damage. Consult a professional stone cleaning service for more information.

Follow these tips for the care of your granite and stone countertops:

**Avoid cleansers that are abrasive because of their tendency to scratch the stone.**

**Avoid highly alkaline cleaners such as lye. Tars and oils can carry stains into the stone when they are combined with highly alkaline cleaners.**

**Routine cleaning with "soapless" cleaners and clean water rinsing is recommended. Thorough rinsing is very important because residual soap or the crystals from cleaners can cause permanent damage.**

**Be careful to avoid dropping pots and pans and other kitchen items on your counter tops. This can break or chip the counter's surface.**

**Counter tops can be damaged by sitting on them. Excessive weight can cause warping, drawer malfunction or may cause the top to pull away from the wall.**

**Thoroughly dry the surfaces before any sealers or "top dressings" are applied. A chamois skin is ideal for drying natural stone.**

**Avoid cleaning products, including dishwashing products that are colored or tinted. These products can impart color to the stone. Do not use colored waxes or polishes on natural stone.**

## Doors

To prevent damage to your doors, please avoid slamming the doors.



## ***Interior Doors***

Interior doors are made of painted hardboard. Because of expansion and contraction with changes in heat and humidity minor warping and sticking of doors can occur. This is normal and may correct itself as conditions change. You should allow your Home to go through at least one dry and one damp season before you make any permanent changes.

The hinges and locks on your doors may require lubrication from time to time for proper maintenance and to prevent squeaks. Remove the hinge pin and rub it with a graphite tube or lead pencil and then insert the pin. We do not recommend using oil because it accumulates dust.

Remove finger smudges from painted or varnished interior doors by washing with warm only water and a soft cloth or sponge. Dry the surface immediately and thoroughly with a soft cloth or towel. Check your interior doors frequently and use touchup paint or varnish when necessary.

If your closets feature sliding doors, keep clothes and other items away from the doors so they do not obstruct its proper operation. The roller and tracks should be lubricated with a silicone lubricant.

## ***Failure to Latch***

If a door will not latch because of minor settling, you can correct this by making minor adjustments to the latch plate and/or its placement.

## ***Keys***

Keep a duplicate privacy lock key where children cannot reach it in case a door becomes locked accidentally. The top edge of the door casing is often used as a place to keep an extra key. A small screwdriver or similar device can open some types of privacy locks.

## ***Drywall***

Slight cracking, nail pops, or seams may become visible in walls and ceilings. These are caused by the shrinkage of the wood and normal deflection of rafters to which the drywall is attached. These will be covered during your 1-year Warranty.

## ***Repairs***

With the exception of the repairs noted in your Homeowner Orientation, care of drywall is your maintenance responsibility. Most drywall repairs can be easily made.

Repair hairline cracks with a coat of paint. You can repair slightly larger cracks with spackle or caulk. To correct a nail pop, reset the nail with a hammer and a punch. Cover it with spackle, which is available at paint and hardware stores. Apply two or three thin coats. You can fill minor indentations caused by sharp objects in the same manner.

Wall corners are covered with corner beads. Occasionally, these corner beads will pull away from the wall, leaving a vertical crack running parallel with the wall corner. To correct this situation, install a drywall screw between the crack and the corner of the wall, spackle, and paint.

## ***Electrical System***

The electrical system in your new Home was designed by professionals to comply with stringent local, state and national building codes. It is created from Underwriters Laboratory Approved components and installed to rigid specifications. The location of the circuit breaker box was shown to you during your Homeowner Orientation. This is the primary protective device for your electrical system. Identify and note the function of each breaker soon after you move in. It is

intended for normal Home use. Any changes or additions to your electrical system may void your Limited Warranty and can result in damage to your Home.

**WE STRONGLY RECOMMEND THAT YOU CONSULT A LICENSED ELECTRICIAN TO MAKE SUCH CHANGES AND ADDITIONS TO YOUR ELECTRICAL SYSTEM. PLEASE NOTE THAT A PERMIT MAY BE REQUIRED.**

### ***Circuit Breaker***

During the Homeowner Orientation, our representative will point out the location of the breaker box. There will be one master circuit breaker and several individual circuit breakers. Circuit breakers trip under excessive electrical load. Reset tripped circuit breakers by moving them to the OFF position and then to the ON position. In the event of a loss of electrical power in your Home, follow these steps:

If the power loss is in one of the elements of your Home and power is available in other areas of your Home, it is likely that an individual circuit breaker has tripped. Unplug any appliances in the elements that are without power and turn other appliances off. Check the circuit breaker and, if necessary, reset it. Plug your appliances back in. If the circuit breaker fails repeatedly, you have either a short circuit in one of your appliances or a short circuit in the electrical system in your Home. **Do not attempt further repair.** Contact a state licensed electrician or the Warranty Department if your Home is still covered under the Limited Warranty.

If electrical power is lost throughout your Home, check the master circuit breaker. If the master circuit breaker has tripped, reset it. If the master circuit breaker trips repeatedly, refer the problem to a state licensed electrician or contact the Warranty Department if your Home is within the period of the Limited Warranty. If the master circuit breaker has not tripped, take a look around your neighborhood. If you notice a general electrical failure in your neighborhood, call your electric company to report the problem.

If you experience a total failure of electrical power to your Home and the above steps are not successful, contact the Warranty Department Representative for assistance.

### ***Ground Fault Interrupt Devices (GFCI)***

During your Homeowner Orientation, our representative may point out the location of the ground fault interrupt devices (GFCI outlets). Usually, GFCI outlets are located near tubs and bathroom sinks and in the kitchen, garage and exterior locations. These are special circuit breakers that are designed to break the flow of electricity in the event of a short circuit. This will prevent dangerous electrical shock. When this occurs, the GFCI outlets must be reset according to the manufacturer's instructions. Do not plug appliances such as power tools, air conditioners, freezers or refrigerators into GFCI outlets. The electrical surge that occurs when these appliances cycle will trip the GFCI outlets and break the circuit.

### ***Arc Prevention Breakers***

Your Home may have arc prevention breakers. These devices are designed to close the electrical circuits immediately in the event of arcing. This is a very important fire prevention measure. If your arc prevention breakers turn the power off, reset them. If they continue to trip, leave the breakers in the OFF position and contact a state licensed electrician or the Warranty Department if your Home is within the warranty period.

## ***Auxiliary Circuits***

The electrical circuits in your Home are designed to handle today's heavier demands. However, some major appliances and tools will perform better if they have dedicated circuits. If you are considering the purchase of these items please consult a professional electrical contractor to discuss your capacity and the possible addition of dedicated circuits.

## ***Lighting***

The lighting fixtures in your new Home are designed for standard wattage bulbs. To avoid excessive heat, you should follow the manufacturer's recommendations attached to the fixture.

## ***Outlets and Switches***

Convenient electrical outlets can be found in every room in your new Home. Do not exceed the capacity for which the outlets were designed. Devices, which increase the capacity of electrical outlets and multiple extension cords, can cause a fire. If an electrical outlet does not have power, there are two possible explanations:

**Some outlets are controlled by a wall switch – usually the upper plug on a two plug outlet.** Plug an appliance into the outlet and turn on nearby wall switches to see if the problem is corrected. If you find that an outlet is controlled by a wall switch, you might point this out to others who live in your Home.

Check the circuit breaker. If the circuit breaker has been tripped, reset it and try the outlet again. If the circuit breaker trips repeatedly, contact a state licensed electrician or the Warranty Department if your Home is in the warranty period..

**CAUTION: SMALL CHILDREN CAN BE INJURED BY POKING SMALL METAL OBJECTS INTO WALL OUTLETS. YOU CAN PREVENT THIS BY INSTALLING CHILD PROOF DEVICES ON ALL FLOOR LEVEL ELECTRICAL OUTLETS. THESE DEVICES ARE AVAILABLE IN GROCERY STORES AND DRUG STORES AS WELL CENTERS AND HARDWARE STORES.**

## ***Expansion and Contraction***

Changes in temperature and humidity cause all building materials to expand and contract. This movement results in separation between materials, particularly dissimilar ones, because of their often different rates of expansion and contraction. You will see the effects in small cracks in drywall and paint; especially where moldings meet drywall, at mitered corners, and where tile grout meets the tub or the sink. While this can alarm an unformed homeowner, it is normal.

Shrinkage of the wood members of your Home is inevitable and occurs in every new home. Although this is most noticeable during the first year, it may continue beyond that time. In most cases, caulk and paint are all that you need to conceal this minor evidence of a natural phenomenon. Even when properly installed, caulking shrinks and cracks. **Maintenance of caulking is your responsibility.**

## ***Floors***

Please inspect your flooring carefully during your Homeowner Orientation. **Any damages or defects in your flooring must be noted at the time of the Homeowner Orientation. Subsequent damages, including broken tiles, scratched wood flooring, torn or stained carpeting and scuffed vinyl are your responsibility.**

## ***Ceramic Tiles***

Ceramic tiles are available in a wide variety of colors and sizes. Glazed ceramic tile is recognized by its shiny, smooth finish.

Glazed ceramic floor tile should be swept or vacuumed on a regular basis to eliminate grit and fine dirt particles which can scratch or dull its finish. Floor tile can be damp mopped with clear water to pick up dust and for general cleaning. When damp mopping, be sure to wring out the mop head thoroughly to prevent leaving droplets of water on the floor which will later become visible water spots. Mild nonabrasive detergents can be used where required by spills but will need rinsing to avoid leaving a dull film upon drying.

Grout can separate from between the tiles and the baseboard. If you notice that this has happened, re-grout promptly to prevent the entry of water.

**Other points to remember:**

Light colored grouts will show dirt faster than mid tone colors. Select a grout color which will accommodate your Home floor maintenance routine.

Use door mats at exterior entrances to help intercept dirt and grit.

Furniture with metal casters or metal feet should not be used on the ceramic floor tile. Metal will quickly scratch and chip even the hardest of floor tile

**A mixture of vinegar and water is not recommended as a cleaning solution for ceramic tile.** Even a weak acidic solution such as this will attack grout over a period of time.

**Cracked or chipped tiles must be noted on the Homeowner Orientation. The Warranty Department is not responsible for discontinued patterns or grout color variations. Cracks that occur in the grout between tiles are normal and are the responsibility of the Homeowner to maintain after limited warranty period expires.**

***Cleaning***

Ceramic tile is one of the easiest floor coverings or counter materials to maintain. The ceramic tile installed on walls or countertops in your Home may be washed with any nonabrasive soap, detergent or tile cleaner. Abrasive cleansers will dull the finish of the tile.

***Grout Discoloration***

Clean grout that becomes yellowed or stained with a fiber brush, cleanser and water. Grout cleansers and whiteners are available at most hardware stores.

***Sealing Grout***

Sealing grout is your decision and responsibility. Once grout has been sealed, ongoing maintenance of the seal is necessary.

***Separations***

Expect slight separations to occur in the grout between tiles. This grout is for decorative purposes only. It does not hold the tile in place. Cracks in the grout can be filled using premixed grout, which can be purchased from flooring or hardware stores. Follow the package directions.

From time to time, tile around bathtubs or countertops may appear to be pulling up. This is caused by normal shrinkage of grout or caulk and shrinkage of wood members as they dry out. If this occurs, the best remedy is to purchase tub caulk or premixed grout from a hardware store. Follow the directions on the container. This maintenance is important to protect the underlying surface from water damage.

***Hardwood and Laminates***

**After initial installation:** Macadam Flooring and Marnella Homes have installed corrugated cardboard over your hardwood. This is done to help protect the surface from possible damage while other Trades complete the home. Unfortunately, it will NOT always eliminate minor

scratches or blemishes from the use of tools or equipment. Every effort will be made to correct the minor blemishes or damages without the physical removal of any boards due to the fact that more often a board replacement is not as satisfactory as the original install. Marnella Homes will determine whether removal of any boards is necessary and will inform Macadam Flooring which boards are included. At that point, Macadam Flooring will perform the repair.

**Hardwood floors will dent:** The term “hardwood” is relative to “softwood” as far as a comparison in terms of hardness. Hardwood floors will dent on impact from ‘high-heel’ shoes, furniture sliding across the floor and even your pet’s nails. No finish that is applied to the hardwood will prevent denting but it is important that the finish contours to the dent to protect the hardwood from moisture and household use.

**Hardwood is not a monochromatic product:** Since it is a natural product, hardwood will vary in appearance from one board to the next. It is not a manufactured product but is milled from kiln-dried wood from a tree. It will have grain and color variations consistent with the grade and species of the selected hardwood flooring. It is important to note that your floor will be a reflection of the sample you chose from, but will not be an exact match.

**Hardwood floors may ‘gap’:** Although the hardwood floor may start tight together, as a natural product, it will continue to absorb and release moisture. This ‘hyroscopic’ process causes the hardwood to expand and contract from season to season with the changes of the humidity in the environment. As a result, some gaps may appear between some of the floor expands and contracts during these seasonal changes.

**Species characteristics:** Each species of hardwood reacts differently to temperature, humidity, and sunlight and will continue to expand and contract at different rates as well as darken or lighten as the UV rays from the sun react with the wood. Each species has a different degree of hardness. (Consult your sales representative for additional information.)

**Maintenance of your floor:** Each hardwood floor needs to be maintained on a regular basis to avoid excessive deterioration and damage to the finishes and the hardwood itself. Regular sweeping, debris do not damage the surface of the flooring. Damp mopping with a manufacturer approved cleaner is recommended to maintain the hardwood floor’s original appearance and luster. A popular cleaning tool such as the Swiffer Wet Jet mop can ruin a hardwood floor and cause the more commonly called “cupping”. Hardwood floors should only be cleaned with a damp cloth. If you can still ring liquid out of the damp cloth then it is too wet. Never use excessive water or vinegar on the hardwood. This is also true for laminate floors. To further protect your floor, felt pads should be placed under all furniture. Hardwood floors add beauty and value to a home, but must be maintained properly to ensure the warranty and lasting beauty.

### ***Natural Stone***

Care for natural stone as you would any fine finish. Wipe off natural stone promptly when there is a spill or other moisture on the surface of the stone. This is especially important when the spills are fruit juices or other acidic liquids. Natural stones are alkaline and are subject to disfiguring by acidic liquids.

Sealers that are formulated for natural stone should be used. These products permit the stone to breathe but protect them from damage. Consult a professional stone cleaning service for more information.

Follow these tips for the care of your natural stone:

Avoid abrasive cleansers because of their tendency to scratch the stone.

Avoid highly alkaline cleaners such as lye. Tars and oils can carry stains into the stone when

they are combined with highly alkaline cleaners.

Routine cleaning with “soapless” cleaners and clean water rinsing is recommended. Thorough rinsing is very important because residual soap or the crystals from cleaners can cause permanent damage.

Thoroughly dry the surfaces before any sealers or “top dressings” are applied. A chamois skin is ideal for drying natural stone.

Avoid cleaning products, including dishwashing products that are colored or tinted. These products can impart color to the stone. Do not use colored waxes or polishes on natural stone.

### ***Resilient Flooring***

Resilient floors are designed for minimal care but do require routine maintenance. Follow the manufacturer's recommendations for routine care and cleaning.

Do not use cleaners or solvents on resilient floors during the first month of occupancy.

Wipe up spills promptly. Do not let water stand on the flooring. Excessive water, even from mopping and cleaning, can penetrate seams and get under the edges of the flooring, causing the materials to lift and curl.

Dragging furniture or appliances across resilient flooring can tear and dent the flooring. Install coasters on furniture legs to prevent permanent damage and always use care when any heavy object is moved across resilient flooring.

Sharp shoe heels can dent resilient flooring.

If your resilient flooring becomes dented or torn, consult a professional flooring repair company. Many tears and dents can be repaired.

The resilient flooring in your Home does not require wax. The flooring is coated with a durable clear coating that eliminates the need for waxing. However, some resilient floors require regular applications of an appropriate floor finish. This ensures the maintenance of a high gloss finish and protects the flooring.

Seams in resilient flooring are normal, and to be expected. Do not let water penetrate the seams and get under the flooring.

### **Garage Door Opener**

Since the garage door is a large, moving object, periodic maintenance is necessary.

#### **Opener**

To prevent damage to a garage door opener, be sure the door is completely unlocked before using the opener. If you have an opener installed after closing on your Home, the garage door is no longer covered under the Limited Warranty. Be familiar with the steps for manual operation of the door in the event of a power failure.

If we installed a door opener as one of your enhancements, during Homeowner Orientation, we will demonstrate the electric eye, which provides a safety stop in the event something crosses through the door opening while the overhead door is in motion. Use care not to place tools or other stored items where they interfere with the function of the electric eye.

#### **Safety**

Follow the manufacturer's recommendations for safe and reliable operation. Do not allow anyone except the operator near the door when it is in motion. Keep hands and fingers away from all parts of the door except the handle. Do not allow children to play with or around the

door.

For your safety, have any needed adjustments made by a qualified specialist. The door springs are under a considerable amount of tension and require special tools and knowledge for accurate and safe servicing. Have the door inspected by a professional garage door technician after any significant impact to the door.

## **Garbage Disposal**

Do not load a disposer with food items before turning it on. Turn the cold water on and start the disposer. Drop food items slowly into it. When it runs clear, turn the disposer off and leave the water running for several seconds. This allows the waste to be carried away. If a jam happens or you experience other problems with your disposer, follow the corrective measures in the manufacturer's operating manual.

If an object lodges in the garbage disposer, the breaker located on the bottom of the disposer may need to be reset. Push the breaker button in to reset. To dislodge the object, it may be necessary to turn the disposer off at the wall switch and rotate the disposer blades. See the manufacturer's recommendation for more information.

Only foods that are non-fibrous and easily pulverized should be placed into the disposer. Examples of foods not to place in the disposer are **corn husks, celery, onion skins, rice, potato skins, olive pits, bones and solid or liquid grease**. These items may cause your garbage disposal unit in your home to overload or jam.

## **Gas Shutoff**

The gas shutoffs are located near their connection to each item that operates on gas. In addition, there is a main shutoff at the gas meter. The location of the shutoffs will be identified during your Homeowner Orientation.

**IF YOU SUSPECT A GAS LEAK, SHUT OFF THE GAS, OPEN WINDOWS AND CALL THE NW NATURAL GAS EMERGENCY LINE AT 800-882-3377 IMMEDIATELY.**

## **Heating**

Your new Home is equipped with a high quality heating system that complies with local and state energy codes. With proper care, the systems will provide enjoyable, dependable service. Please read the instructions and become familiar with the heating system before you use them. Good maintenance of the furnace can save energy dollars and prolong the life of the furnace. Read the manufacturer's recommendations on use and maintenance. The guidelines here include general information only.

**The HVAC system module is relatively maintenance free but does require routine cleaning. Furnace filters should be replaced every three months and are not covered by our 1-year Warranty.**

All questions and requests for warranty service on your heating system should be directed to the Warranty Department.

Your heating and air conditioning system can play an important role in the first year after you move in. By maintaining an even temperature, you can minimize the contraction and expansion of the materials in your Home.

If you experience heating problems, here are some helpful suggestions that you might consider before you call for service:

The thermostat should be set ABOVE room temperature.

The main electric switch should be ON.

Check to see that no circuit breakers are tripped to OFF.

Make sure the filters are fresh and not clogged.

Check to see that the ignition or pilot system is operating.

The following suggestions are intended to assist you in getting the maximum usage and enjoyment from your heating system:

Check the operation of your system well in advance of peak operating seasons. Check for problems before seasonal service demands are the greatest.

Keep all vents and registers clean and free of dust, cobwebs and debris.

### ***Avoid overheating***

Do not overheat your Home. Overheating can cause excessive shrinkage of framing lumber and may materially damage your Home. In the first year, use as little heat as possible then increase the heat gradually. This will enable the wood in your Home to dry properly.

### ***Ductwork Noise***

The ductwork in your Home will occasionally make popping and pinging sounds. This is normal and occurs in response to the heating and cooling of the metal ductwork.

### ***Air Conditioning***

Air conditioning can greatly enhance the comfort of your home, but if it is used improperly or inefficiently, wasted energy and frustration will result. These hints and suggestions are provided to help you maximize your air conditioning system.

Your air conditioning system is a whole-house system. The air conditioner unit is the mechanism that produces cooler air. The air conditioning system involves everything inside your home including, for example, drapes, blinds, and windows.

Your home air conditioning is a closed system, which means that the interior air is continually recycled and cooled until the desired air temperature is reached. Warm outside air disrupts the system and makes cooling more difficult. Therefore, you should keep all windows closed when temperatures are high. The heat from the sun shining through windows with open drapes is intense enough to overcome the cooling effect of the air conditioning unit. For best results, close the drapes on these windows.

***Your air conditioning unit will only cool the interior 20 degrees below the exterior temperature.***

Time is very important in your expectations of an air conditioning system. Unlike a light bulb, which reacts instantly when you turn on a switch, the air conditioning unit only begins a process when you set the thermostat.

For example, if you come home at 6:00p.m. when the temperature has reached 90 degrees F and you've set your thermostat to 75 degrees, the air conditioning unit will begin cooling, but will take much longer to reach the desired temperature. During the whole day, the sun has been heating not only air in the house, but the walls, the carpet and the furniture. At 6:00p.m. the air conditioning unit starts cooling the air, but the walls, carpet and furniture release heat and nullify this cooling. By the time the air conditioning unit has cooled the walls, carpet, and furniture, you may well have lost patience.



If evening cooling is your primary goal, set the thermostat at a moderate temperature in the morning while the house is cooler, allowing the system to maintain the cooler temperature. The temperature setting may then be lowered slightly when you arrive home, with better results. Once the system is operating, setting the thermostat at 60 degrees will **not cool** the home any faster and can result in the unit freezing up and not performing at all. Extended use under these conditions can damage the unit. ***Constant raising and lowering of the thermostat can have the same effect. The thermostat is essentially an “on-off” switch, if it is set at a temperature below the current room temperature it will turn the unit “on” until the desired temperature is reached. A lower setting will not make the unit more “on” it will simply stay on longer than you want and require you to raise the thermostat to turn it “off”. This practice is not only inefficient and inconvenient, it can damage the unit.***

## Hot Water Heater

Your new home has a tankless hot water heater. These are extremely efficient water heaters since this type of unit only heats the water that is being used and not wastefully heating a tank full of water while the household is not in need of hot water. There is a misconception that tankless hot water heaters are “on demand” water heaters. These heaters are heating water as it is being demanded by the household, but it is not instant. It will take apx ½ gallon of water to flush out of the water lines before the hot water gets to the fixture. However, even a tank water heater will need to flush out the cooled down water before the hot water in the tank will arrive at the fixture. Tankless hot water tanks will require periodic maintenance to make sure they are operating at the unit’s maximum efficiency.

## Interior Walls

The walls in your new Home are constructed of wood, metal and other materials, which are subject to normal expansion and contraction. Molding and trim can shrink and warp in some cases. Routine maintenance on molding, trim and wall boards is minimal and is the responsibility of the Homeowner. Replace warped molding and trim. Reset nails that have popped out of position. Use touchup paint and, if necessary, the appropriate caulking material to complete the repairs.

Use care when you hang pictures and other decorative items. The wall board will be damaged if it is hit with a hammer. Costly repairs can be avoided by using picture hooks and other supplies from a hardware store. Always repair nail holes with a dab of spackle or putty.

Small finger smudges may be removed from walls with a solution of warm water and a mild soap. Wash gently with a soft damp sponge or cloth. Rinse and dry the excess water carefully. **Do not permit the wall board to become soaked with water.** Larger spots, not easily removed by cleaning, will require paint touch up.

## Insulation

Blown insulation is not effective if it is uneven. If work is done in your attic; insist that the insulation be redistributed and, if necessary, additional insulation is added.

**DO NOT STEP ON DRYWALL CEILINGS. THIS CAN RESULT IN SERIOUS INJURY AS WELL AS DAMAGE TO THE CEILINGS.**

## Light Bulbs/Lighting

You are responsible for replacing burned-out bulbs other than those noted during your Homeowner Orientation. Do not use bulbs with wattage higher than a fixture is rated for.

## **Mirrors**

To clean your mirrors use any reliable liquid glass cleaner or polisher. Avoid acidic cleaners and splashing water under the mirror. When cleaning mirrors, do not permit the cleaners and water to flow around the edge of the mirror. This will result in damage to the silver coating on the back of the mirror. Do not use glass cleaners on plated plumbing fixtures, as some formulas can deteriorate the finish.

## **Painting**

### ***Exterior Painting***

Homeowners may not paint, stain or otherwise alter the appearance, texture or color of the exterior surfaces of the building without prior approval from the Design Review Committee.

### ***Interior Painting***

The paints in your Home will retain their beauty longer if you follow a few recommendations offered by professional painters. One of the most important recommendations is to avoid washing newly painted surfaces for at least three months. This will permit the new paint to dry and 'set'. After this period, avoid the use of strong chemical cleaners and abrasive cleaners, either of which may cause permanent damage to the paint.

When paint touchup is required, do not forget that all paints change color as they age so a perfect color match is not possible. Regular repainting is a better option because this results in longer paint life and reduced maintenance costs. Please consider repainting your bathrooms and your kitchen more frequently. These areas get frequent exposure to steam and condensation and generally receive harder wear.

### ***Touchup***

When applying touch-up paint, use a small brush and apply the paint carefully and only to the damaged spot. Touchup paint may not match the original paint due to fading and other changes that are unavoidable and normal. Store your provided touch up paint with the lids tightly in place and in a location where they are not subject to extreme temperatures.

### ***Wall Cracks***

Slight cracking, nail pops and seams may become visible in walls and ceilings. These are caused by the shrinkage of the wood and normal deflection of the rafters to which the drywall is attached.

### ***Repairs***

With the exception of the one-time repair service we provide, care of drywall and paint is your responsibility:

Repair small cracks with a coat of paint. Slightly larger cracks can be repaired with spackle or caulking.

To correct a nail pop, reset the nail with a hammer and punch. Cover the hole with 2-3 thin coats of spackle. Cover with paint.

Small indentations can be filled in the same manner.

Wall corners are covered with corner beads. Occasionally these corner beads will pull away and leave a vertical crack running along the corner. To correct this install a drywall screw between the crack and the corner of the wall. Cover with spackle and paint.

We suggest that you wait until your one-year warranty request to repair drywall cracks or other

separations that could be due to normal shrinkage.

## **Decks**

Although cedar is a naturally durable wood ideal for decks, its performance is enhanced when protected by an appropriate finish. Decks have full exposure to sun and rain, which greatly accelerates the weathering process. In fact, so aggressive are the effects of weather extremes in some areas of the country that a deck may need cleaning, restoring and refinishing as frequently as every two to five years depending upon the finish used. The simplest, but most labor-intensive, finish to maintain on a cedar deck is a water-repellent preservative, which may have to be applied annually. The next easiest is a semi-transparent oil-based stain. Both types of finishes are extremely effective in stopping the absorption of water and are recommended. It is important to ensure that the product has been specifically formulated to withstand the abrasive effects of foot traffic.

*Oil and latex solid-color stains, (also called heavy-bodied or opaque stains), paints, and other film-forming finishes are not recommended.*

If there is uncertainty over whether to use a water-repellent preservative or a stain, first apply a water-repellent preservative. It is possible to switch to a semi-transparent stain when the deck needs to be refinished. Even if the deck has been maintained with a water-repellent preservative for many years, an oil-based semi-transparent stain will perform satisfactorily.

## **Phone Jacks**

Setting up your account for telephone service, additions to services or lines, and moving telephone outlets for decoration purposes or convenience are your responsibility.

Before you call the telephone company for repairs, plug a phone into the outlet located outside the Home by the telephone box. If you hear a dial tone, the problem is inside the Home. If no dial tone is heard, the problem mostly likely is between your phone box and the street.

If you add additional phone lines, the installer must run the lines inside the walls of your Home. **Running lines on the exterior of the building or puncturing the siding will void the Limited Warranty and is a violation of the Rules & Regulations of the Homeowners Association.**

## **Plumbing System**

Your plumbing system features modern design and materials. It will provide trouble-free service for your family for many years. We recommend that you become familiar with your plumbing system as soon as you move in. You should know the location of the main water shutoff and individual shutoffs in all the bathrooms and the kitchen. In the event of a plumbing emergency, you must close the main water shutoff at once. Flowing water can cause severe damage to your Home and its contents.

Other water shutoffs are located under the sinks in the bathrooms and the kitchen. Each toilet has a shutoff valve behind the toilet bowl. You and others in your Home should know where these water shutoffs are and how they work.

Each plumbing fixture in your Home has a drain pipe specially designed to provide a water vapor barrier between your Home and the sewer. The drain pipe or trap is the U-shaped elements of pipe directly under the sink. The trap holds water, which prevents the airborne bacteria and odor of sewer gas from entering your Home. If any of your faucets are used infrequently, we suggest that they be turned on occasionally to replace the water in the trap lost

to evaporation. Because of their shape, the traps are the most likely elements to become clogged.

If you detect the odor of sewer gas from a sink, contact a state licensed plumber or contact the Warranty Department if your Home is within the Limited Warranty coverage period.

The following suggestions will promote long and enjoyable service from your plumbing system:

### ***Bathtubs***

The bathtubs in your Home are made of fiberglass. Like the other components in your Home, your bathtubs require routine maintenance.

Clean the tubs using a nonabrasive cleaner designed for bathroom use. Rinse the surface thoroughly to remove all traces of the cleaner. After each use, rinse the tub thoroughly with clean water to lessen the effects of soap buildup.

### ***Fixtures***

Faucets and other plumbing fixtures are designed to add beauty and trouble-free use. Some of the fixtures are plated with polished metal, bright chromium or a combination of the two materials which are resistant to water corrosion under normal use and maintenance. The brass and chromium plating materials are, however, relatively soft and can be damaged with abrasive cleansers, scouring pads and tools. Clean the fixtures with warm soapy water and a soft sponge or cloth. Rinse with clear water and wipe dry to prevent spotting.

If water is permitted to accumulate and stand at the base of the fixtures, corrosion and tarnishing can result. **Always wipe the fixture dry.** Hard water can spot and damage bright chromed plumbing fixtures. While this is not entirely preventable, you can minimize the staining and discoloration by drying the fixtures after each use.

Avoid excessive force when you turn your faucets on and off. The seals in the faucets can be damaged and will require repair or replacement in a short time.

Faucets are equipped with aerators, which mix air with the stream of water to prevent splashing. They need to be cleaned occasionally to remove a buildup of mineral deposits. When you notice that the stream of water has lessened, unscrew the aerator from the mouth of the faucet. Remove the debris and rinse the washers and screens. Replace the parts in their original order and screw the aerator onto the faucet. Perform this Homeowner maintenance as needed, usually every several months.

### ***Toilets***

Toilets are made of vitreous china, a glasslike material that is almost impervious to staining. Clean your toilets with a toilet bowl cleaner and a brush or cloth. Vitreous china is brittle and will easily break or shatter if hit with a hard object. Avoid abnormal pressures against the sides of the tank. It is possible to crack the tank at the points where it is attached to the bowl.

Always keep a plumber's plunger on hand to use in the event of a stoppage of a toilet. If a stoppage occurs, close the shutoff valve on the back side of the toilet. Usually, a few vigorous pumps with the plunger will free the obstruction.

Stoppages that occur due to construction debris are covered by the Limited Warranty. Stoppages that are not construction related are the responsibility of the Homeowner. If you are unable to clear the obstruction yourself, we suggest that you call a state licensed plumber or the Warranty Department if your Home is within the Limited Warranty coverage period. Do not use drain cleaners in toilets. The harsh chemicals in drain cleaners can damage the toilet seals and cause a leak.

If the flush valve fails or begins to leak, you can purchase a new flush valve at a home center or hardware store. If you are not entirely comfortable with this do-it-yourself project, a plumber can perform this task.

Water saver toilets are installed in your Home. These toilets are designed to reduce water usage. At times you will find a single flush does not clear the toilet bowl. When this happens, wait for the toilet tank to refill then flush again. It is recommended that you hold the flush lever down for 5 to 7 seconds per flush.

### **A RUNNING TOILET CAN USE 4,000 GALLONS OF WATER IN ONE DAY!**

If you have a running toilet, the cause probably is a defective or worn flapper. Check the shut-off float in the tank. You will most likely find it has lifted too high in the tank, preventing the valve from shutting off completely. In this case, gently bend the float rod down until it stops the water at the correct level. The float should be free and not rub the side of the tank or any other parts. Also check the chain on the flush handle. If it is too tight, it will prevent the rubber stopper at the bottom of the tank from sealing, resulting in running water. *Shut off the water at the angle stop below the toilet and repair or replace the flush valve or the flapper.*

### **Drains**

Grease buildup is the most frequent cause of plumbing drain stoppage. If you cannot dispose of cooking oils and grease in any other way, always run cold water down the drain at the same time. Sink and tub stoppers designed to trap hair and foreign matter should be cleaned regularly to ensure good drainage. Petroleum-base products, such as paint or lacquer thinner, can damage pipes and should never be poured down the drain.

### **Smoke Detector**

Smoke detectors have been installed near all sleeping areas and at other locations. The selection of the smoke detector, the installation procedure and the location of the smoke detectors are done to meet the requirements of local, state, and national building codes. Please do not move or disable the smoke detector. If you feel the need for additional protection, consider purchasing another smoke detector to be installed at additional locations.

The purpose of your smoke detector is to detect the possible presence of fire in your Home so that you will have time to call for help and evacuate the Home. At the first indication of fire, evacuate your family and call the Fire Department from a neighboring Home.

To assure that your smoke detectors are working use the "test" button at least one time every six months.

Clean the smoke detectors according to the manufacturer's recommendations. Always test the smoke detector after cleaning. Your smoke detectors are hard wired into the electrical system and have battery backups. Replace the batteries per manufacturer's recommendations. Chirping from the smoke detector usually indicates the battery is low.

### **Ventilation**

Homes today are built more tightly than ever. This saves energy dollars but creates a potential concern. Condensation, cooking odors, indoor pollutants, radon, and carbon monoxide may all accumulate. We provide mechanical and passive methods for ventilating homes. **Your attention to ventilation is important to health and safety.**

Building codes require attic vents to minimize accumulation of moisture. Attic ventilation occurs through vents in the soffit (the underside of the overhang) and vents on the roof itself.

Your daily habits can help keep your home well-ventilated: Develop a habit of running the fans

in the bathrooms while showering or bathing. Be sure to run the fan for at least 10 minutes after turning off the shower.

Consider that just one person's breathing produces  $\frac{1}{4}$  cup of water per hour. Cooking for a family of four produces approximately 5 pints of water in 24 hours. Showering puts  $\frac{1}{2}$  pint of water into the air. Your new Home is very air tight, so remember to open windows whenever weather permits.

### **Whole House Ventilation System**

The exterior shell of most houses allows indoor and outdoor air to be exchanged in the home on a regular basis. While well-ventilated indoor air has shown to be healthier for the home's occupants, uncontrolled ventilation is extremely inefficient because it wastes any heating or cooling that has been added to the home. This is not only costly in terms of energy use; it also creates a drafty and uncomfortable house.

Your Mechanical Fresh Air Ventilation system in your Home is a premium system that exhausts indoor stale air with exterior fresh air. It is also used to control and optimize heating, cooling and ventilation in your home. This eliminates the need for separate appliances and their redundancies and additional energy usage. This will increase comfort, safety and efficiency of your home by providing fresh conditioned air. Your Verona Home is an energy efficient home with the ultimate indoor air quality

### **Foundation Vents**

Unventilated foundations are subject to built-up moisture that can eventually lead to costly damage. To insure proper air circulation in the crawl space under your town home the foundation vents should be clear of obstruction all year round.

### **Windows**

These few simple maintenance tasks will help your windows to provide years of trouble-free service.

Aluminum foil causes a heat buildup between window panes and should not be used. Consider your Homeowners Association Architectural Guidelines before you install window coverings that are visible from the street or other areas of your neighborhood.

Weep holes are installed in the bottom of window frames by the manufacturer to let water from condensation drain to the outside. This prevents damage to the window sills from the accumulation of water. Unfortunately, these weep holes can permit dust to enter during occasional wind storms. This is normal and is not preventable nor is it a warranty item.

Scratches on window glass that are visible from at least 15 feet in indirect sunlight or normal room light must be reported during the Homeowner Orientation to be considered for warranty replacement.

We have these recommendations for maintaining the window tracks:

The tracks that support your windows require frequent cleaning. You can use a vacuum cleaner or a cleaning solution of mild soap and water.

When necessary, use a water soluble lubricant on the tracks. Do not use petroleum based lubricants because they can attract and hold grit and, possibly, damage the window tracks.

**THE WINDOWS IN YOUR HOME ARE DUAL GLAZED. USE CARE IN OPENING AND CLOSING THE WINDOWS TO AVOID RUPTURING THE SEALS. PLEASE REFER TO THE MANUFACTURER'S INFORMATION FOR INFORMATION ON CARE AND MAINTENANCE.**

## ***Condensation***

Condensation on windows can be a sign of excess humidity in your Home. While a small amount of condensation around the corners of the windows is normal, excessive condensation can lead to damage to your Home. The first areas to be damaged are window frames and sills that are exposed to the run off from condensation. But even more serious damage can occur when excess humidity in the Home can penetrate the structure, blister paint, create mildew condition within the walls and weakened structural components.

Follow these steps to reduce the humidity in your Home:

Shut off the household humidifier

Your home is ventilated on its own for a few minutes each day. Don't interfere with the HRV timer. Ventilate the kitchen, laundry room and bathrooms during use. Run the exhaust fans longer and more often.

## ***Wood Trim***

The wood in your Home will dry during the first year or two. This drying can lead to warping and popping of wood trim. You can minimize this by maintaining a constant, even temperature in your Home.

Separation of the elements of wood trim can be corrected with caulking and touchup paint. If the wood trim pulls away from the wall, reset the trim by adding a nail in a new place - not in the original nail hole. Fill the holes with caulking and cover with touchup paint. We recommend that you wait until the end of the first year to make such repairs.

## ***Home Safety***

Each year, many Americans are injured in Home accidents. Here are some Home safety suggestions designed to avoid injuries and save time, worry and needless expense.

### ***Oily Cleaning Rags***

Never pile oily or greasy rags where they are exposed to air or heat. If they must be stored, seal them in a metal container well away from heat sources. This is especially important when rags are saturated with furniture polish, floor oils, linseed oil or paint.

### ***Rugs***

Rugs should be fastened down, laid on non-slip pads, or undercoated with nonskid materials. Carpet edges should be flat, and curling should be prevented or corrected. Small, loose throw rugs can be especially dangerous when placed at the head or foot of stairs. Stair carpeting should always be securely fastened.

### ***Walkways***

Orient your entire family to the necessity of keeping halls clear of loose articles that might trip someone. Remove boxes, toys, mops, brooms and tools to their allotted storage areas.

### ***Trash***

Do not let trash accumulate, it is a potential fire hazard and may attract vermin. Never stack newspapers and magazines near your furnace or hot water heater.

# Required Maintenance by the Homeowner

The importance of maintaining your new Home on a regular basis is directly comparable to maintaining a brand new car. If you never change the oil or get the car tuned up, little - problems will eventually become big problems.

Similarly, your new Home is designed and built to last for many years, and yet it has numerous components and equipment that require you to complete periodic maintenance. By implementing the following preventative maintenance guidelines, you can help keep the components of your Home functioning properly with as few problems as possible.

To help you pinpoint when specific maintenance items should be performed, this CHECKLIST is divided into distinct time periods. After move in, Every Month, Every Three Months, Every Six Months, Annual, plus Spring and Fall. For additional information regarding the subjects presented here, please refer to the appropriate Manufacturer's Operating Instructions and/or the specific subject discussions contained in this Manual.

## **FIRE SPRINKLERS**

Do not do anything to your sprinkler system that would hinder its performance such as painting or hanging objects from the sprinkler head. Of course, never turn off or disconnect the system from its water source.

Do not turn off the sprinkler system in the event of a fire - let the Fire Department perform this task

**The fire protection sprinklers in your new home are maintained by you. If the sprinklers are damaged or altered in anyway you must contact a licensed contractor to do any repairs**

## **AFTER MOVE-IN CHECKLIST:**

### **ELECTRIC**

Locate and label the main circuit breaker in the electric panel box and show family members how to turn it off in case of emergency.

### **FIRE EXTINGUISHER**

Purchase a general purpose fire extinguisher for each floor of the Home plus one small kitchen extinguisher for grease fires. Demonstrate proper usage to family members in case of an emergency.

### **FIRST AID KIT**

Keep first aid materials and a book on first aid procedures in an accessible location.

### **FLOORING**

Attach furniture protectors underneath furniture legs to protect hardwood, resilient, and ceramic tile floors.

### **HOUSEHOLD TOOLS**

Acquire basic tools to help you with normal Home maintenance chores, to include: pliers, adjustable wrench, flat-blade and Phillips head screwdrivers, claw hammer, hand saw, tape



measure, caulk and caulking gun, putty knife, paint roller and brush, power drill and drill bits, assorted nails, brads, screws, nuts, bolts, sandpaper, utility knife, toilet plunger, and flashlight.

## **PLUMBING**

Locate and label the main water line shutoff valve and show all family members how to close it in case of a plumbing emergency.

## **EVERY MONTH CHECKLIST:**

### **CABINETS**

Clean and apply a light coat of lemon oil based wood protection product on wood surfaces. Use a **damp** cloth on foil and laminate surfaces.

Check drawers and hinges for proper alignment. Tighten and adjust as necessary.

### **FIRE EXTINGUISHERS**

Check your fire extinguishers to ensure that they are fully charged.

### **GARBAGE DISPOSAL**

Clean disposer blades by grinding up ice cubes. Freshen the disposer with baking soda and by grinding up citrus fruit rinds.

### **HEATING**

Vacuum air supply and air return registers to remove dust and lint.

### **INTERIOR CAULKING**

Check for cracks or separations in caulking around sinks, bathtubs, toilets, faucets, countertops and backsplashes, ceramic walls, resilient and ceramic floors, window sills, and other.

### **FAUCET AERATORS**

Check for proper flow of water. If the flow is reduced, clean the aerator screens. During the first two months, the faucet aerators could require more frequent cleaning.

### **PLUMBING**

Check under kitchen and bathroom cabinets for leaks. Tighten fittings carefully. Check the elements around the hot water heater for leaks.

### **RANGE HOOD**

Clean or replace dirty filters.

### **SMOKE DETECTOR**

Test smoke detectors.

Clean and/or vacuum detector openings as necessary.

## **EVERY 3 MONTHS CHECKLIST:**

### **INTERIOR DOORS**

Lubricate hinges.

### **Furnace Filters**

Depending on the filter installed, household occupants and cleaning habits, the filters should be replaced or at least inspected.

### **WINDOWS**

Check sills for caulking cracks or separations and re-caulk as necessary.

Check weather-stripping around windows and repair or replace as necessary.

Check windows for smooth opening and closing operation. Clean tracks and lubricate as necessary with a non-petroleum based lubricant such as furniture polish.

Clean weep holes.

## **EVERY SIX MONTHS CHECKLIST:**

### **DOORS**

Check screws on door lockset and hardware and tighten as necessary. Lubricate bi-fold and by-pass doors as necessary with a non-oil based lubricant. Clean sliding door track and apply silicone or other non-oil based lubricant spray to tracks as necessary.

### **ELECTRIC**

Test and reset all GFCI (Ground Fault Circuit Interrupter) receptacles. Check electrical extension and appliance cords. Replace frayed or split cords.

### **PLUMBING**

Check water supply lines and valves to sinks and toilets. Tighten if loose or leaking.

Clean out faucet aerators, spray nozzles, and drains.

Check pipes and drains for water leakage.

### **WINDOWS**

Check sills for caulking cracks or separations and re-caulk as necessary.

Check weather-stripping around windows and repair or replace as necessary.

Check windows for smooth opening and closing operation. Clean tracks and lubricate as necessary with a non-petroleum based lubricant such as furniture polish.

Inspect window screens and repair or replace as necessary.

Clean weep holes.

## ANNUAL CHECKLIST:

1. **Roof:** Check roof and around vents, skylights and chimneys for leaks. Repair as necessary.
2. **Attic:** If there is no ridge vent, keep gable vents open year-round to ensure proper ventilation.
3. **Gutters:** Clean gutters and drain pipes so leaves won't clog them and be sure they drain away from the house. (Fall: In cold-climate areas) Drain outside faucets.
4. **Filters:** Remember to clean or replace filters once a month, or as needed. Check and clean dryer vent, air conditioner, stove hood and room fans. Keep heating and cooling vents clean and free from furniture and draperies.
5. **Safety Equipment:** Ensure that all smoke detectors, carbon monoxide detectors and fire extinguishers are in good working order. Replace batteries in appropriate devices as needed, or at least twice each year.
6. **Air Conditioner:** (Fall: In cold-climate areas) Remove window air-conditioners, or put weatherproof covers on them.
7. **Refrigerator:** Make sure your refrigerator door seals are airtight. Test them by closing the door over a dollar bill. If you can pull the bill out easily, the latch may need to be adjusted or the seal may need to be replaced. In addition, if you have a coil-back refrigerator, vacuum the coils at least twice each year. Your refrigerator will run more efficiently with clean coils. Also, stock up! A full refrigerator uses less energy than an empty one.
8. **Faucets:** Check for leaky faucets in kitchen and bathroom(s).
9. **Windows and Doors:** Seal drafty doors and windows. If you added up all of the small cracks where heating and cooling escapes from a home, it would be the same as having a window open. Replace seals as needed.
10. **Screens:** Check and patch all door and window screens.
11. **Siding and Paint:** Look for cracks and holes in house siding or paint. Replace caulk if necessary. A carpet knife can work well for cutting away old caulking from house siding. Slice down alongside it from both directions with the hook-like blade, and then use the knife to lift out the old caulk bead intact.
12. **Heating System:** (Fall) Have heating system serviced. Change filters.
13. **Hot Water Heater:** (Fall) Have hot water heater serviced.

## **FIVE YEAR CHECKLIST:**

- 1. Duct Cleaning:** To maintain the indoor air quality of your home, it is important to have your HVAC ducting cleaned. To remove all dust and debris that accumulates over time through normal occupancy.
- 2. Bath and laundry fan cleaning:** To maintain the indoor air quality of your home, it is important to have your bath and laundry fans. These fans will accumulate hair and dust which overtime will clog the fan to limit its ability to move air.
- 3. Appliances:** The motors and fans will need to be vacuumed and cleaned for optimal performance. When appliances have to work hard due to their inability to cool, wear and tear is accelerated.
- 4. Dryer ducting:** We recommend that the dryer lint trap needs to be cleaned out after every load. However, it is important to have the dryer duct cleaned out because it will still accumulate lint over time. This not only maintains optimal performance of the dryer, but will allow the dryer to maintain its efficiency. A build-up of lint can also be a fire hazard over time.

## Troubleshooting Suggestions

In case of an emergency contact the Warranty Department. **Explanations of emergency situations are outlined in the Warranty Service section of this Manual.**

For some other problems that might arise, we provide these Troubleshooting Suggestions for your convenience.

### PLUMBING

If a water main breaks or a major plumbing leak develops, turn off the main water valve.

If you notice a leak under a sink or toilet, turn off the water to the fixture by using the shutoff valves located under or behind the fixture. Arrange for service.

If a toilet becomes clogged, turn off the water to the fixture. Follow the procedures outlined in the Maintenance section of this manual.

If you notice a leak in the tub or shower, turn off the water at the main shutoff valve and arrange for service. **Do not use the shower or tub until service can be provided.**

If you notice water spots (darkened areas) on your walls or ceilings, you may have a water leak. **Determine the source of water if possible and take steps to prevent further damage.** If the leak can be traced to one location (one toilet, sink or tub), turn off the water to that fixture. Contact a state licensed plumber or contact the Warranty Department if your Home is in the Limited Warranty coverage period. If the leak cannot be isolated, turn off the main water service.

### ELECTRICAL

If a complete power outage occurs, look to see if your neighbors have electrical power. If the power is off in your neighborhood, call the electric company to report the outage. If the outage is limited to your Home, inspect all circuit breakers, including the main breaker. If a breaker appears damaged leave it off and call your electrical Trade. If the breakers are not damaged, turn them all off and back on again one at a time.

**IMPORTANT NOTE: IF YOUR MAIN CIRCUIT BREAKER TRIPS OR IS TURNED OFF, WAIT 2-3 MINUTES BEFORE TURNING IT ON. THEN, RESTORE POWER TO THE OTHER CIRCUITS ONE BY ONE. THIS AVOIDS OVERLOADING THE SYSTEM.**

If you notice sparks or smell burning, find the location of the odor or sparks. If an appliance is plugged into that outlet, check the appliance for a short in the cord or other problem and unplug it. If this is not the problem, shut off the problem circuit and call the electrical Trade listed on your Emergency Sticker. **IMPORTANT NOTE: Immediately call 911 if there is any possibility of a fire.**

If there is no power in a bathroom, kitchen, garage or outside receptacle, these receptacles may be connected to a Ground Fault Interrupt (GFCI) device designed to interrupt the flow of electricity preventing electrical injury or damage. Locate the nearest GFCI outlet. If the reset button has tripped, unplug the appliance; press the reset button to restore power. If power is not restored, determine if the circuit is being overloaded. Two hair dryers or other appliances being used on one circuit could cause the breaker to trip. Defective appliances can trip a GFCI when they will not trip a standard breaker. Rarely will a GFCI be too sensitive and require replacement. Contact the Warranty Department if you have questions about the GFCI outlets in your Home.

**IMPORTANT NOTE: DO NOT USE POWER TOOLS, REFRIGERATORS, FREEZERS OR**

**PLUG APPLIANCES IN GFCI OUTLETS. DO NOT PLUG AN APPLIANCE WITH A SEPARATE TRANSFORMER OR AN ITEM WITH A TIMING DEVICE (SUCH AS AN IRRIGATION SYSTEM) INTO GFCI OUTLETS.**

Some outlets may be controlled by an arc prevention breaker. If this is the case, be sure the breaker has not tripped. If it has, reset the breaker. If the breaker continues to trip, consult an electrician.

If there is no power to an electrical outlet, make sure that the outlet is not controlled by a wall switch that may be turned off. Once this is determined, inspect the circuit breakers and reset any that are in the OFF position.

If a luminous light fixture does not work, make sure all fluorescent bulbs are installed properly. Adjust any tubes that are flickering or buzzing. Check wall switches and circuit breakers.

**HEATING**

If the heating system is not working properly, make sure the thermostat is set to a temperature higher than the room air and the thermostat is turned to the 'heat' position. Make sure the circuit breaker is in the on position. Contact a state licensed heating and air conditioning contractor or contact the Warranty Department if your Home is in the limited warranty coverage period.

## A Word About Warranties

If you have questions about the warranty, please contact the Warranty Department.

This warranty provides a requirement for Homeowner maintenance of certain items. If such maintenance is not done, the builder could be free of responsibility for certain warranty service. Please refer to the required Maintenance section of this Manual.

Federal law provides a warranty on manufactured items such as appliances. Copies of the manufacturers' warranties will be provided when you close escrow on your new Home. **Warranty service requests for these items should be directed to the appropriate parties listed in the manufacturers' warranty manuals.** Be sure to complete and mail your appliance warranty registration forms **within 30 days** of your closing.

### Warranty

An example copy of your Limited Warranty is on the following pages. This is provided for your convenience. In the event of a dispute, the warranty you were given with your purchase documents will prevail.

# Warranty Service

## **How To Request Service:**

Your Request: Complete a Warranty Service Request form including your building number; lot number, address, work and home phone numbers. Provide a brief description of the work requested and its location in your Home. For example, indicate the room, the location in the room and a general description of the problem. **Mail, fax, e-mail, or deliver your written request for service as follows:**

## **Contact Information:**

**Warranty Service  
Verona Warranty Department**

**PO Box 874090**

**Vancouver, WA 98687**

**Phone: 503-654-6642**

**Fax: 503-652-3793**

**Email: [warranty@marnellahomes.com](mailto:warranty@marnellahomes.com)**

**[www.marnellahomes.com](http://www.marnellahomes.com)**

**WE WILL NOT PAY COSTS YOU INCUR DUE TO THE USE OF OUTSIDE CONTRACTORS AND REPAIR OR SERVICE COMPANIES WITHOUT OUR PRIOR WRITTEN APPROVAL.**

## ***Our Response***

When we receive your request for service, a Warranty Department Representative will contact you to schedule an appointment to inspect the items you have noted on your request. During the inspection, a determination will be made whether or not the items noted will be repaired or replaced. If so, the work will be performed by us, or by a trade contractor of our choice. Service calls are scheduled according to the scope of work necessary. For example, drywall repairs might be done at one time and repairs to doors and cabinets might be done at another time. This enables us to complete repairs efficiently.

## ***Scheduling Service with Contractors***

The Key Contacts section in this Manual includes information on our electrical, mechanical, plumbing, appliance and garage door contractors. For your convenience, these contractors are available for scheduling your service needs with these items. If you experience any difficulty in dealing with these contractors, please notify our Warranty Department. It is a good practice to notify our Warranty Department of any interaction with these contractors so they can keep an accurate record of your Warranty Service activity.

## ***Emergency Procedures:***

**WE DEFINE EMERGENCIES AS PROBLEMS REQUIRING IMMEDIATE ATTENTION TO PROTECT YOUR FAMILY AND YOU FROM HARM AND TO AVOID DAMAGE TO YOUR PROPERTY, YOUR HOME, OR YOUR LOT. THESE PROBLEMS INCLUDE:**



- A total electrical failure other than an outage in the neighborhood
- Loss of heating or air conditioning during extreme weather conditions.
- A total stoppage of the plumbing and/or sewer system during the first 30 days following the close of Escrow.
- A water leak that requires that the water supply to your Home be shut off to avoid serious water damage.

A leak that can be isolated by the shutoffs under the cabinet or plumbing fixture is not an emergency. Please refer to the water shutoff procedure in this Manual.

**ANY WATER LEAK, LARGE SPILL, OR EXCESSIVE SPLASHING OF WATER CAN CAUSE DAMAGE. UNLESS WATER IS REMOVED PROMPTLY AND THE ELEMENTS AROUND THE WATER ARE DRIED, THE POSSIBILITY OF MOLD GROWTH EXISTS.**

**YOU MUST REPORT LEAKS TO US AT ONCE AND, IF NECESSARY TO STOP A LEAK, SHUT OFF THE WATER SUPPLY TO THE HOME UNTIL OUR REPRESENTATIVE REACHES YOUR HOME.**

Damage from a water leak can be minimized by turning off the water to a particular fixture or turning off the water main to your Home. The water main shutoff valves are located inside the furnace closet and at the water meter box that is located near the street. The exact location of the water shutoff will be pointed out at the Homeowner Orientation.

In case of an Emergency, your first step should be to protect your family from harm. Once you are sure of their safety, and if your safety will not be jeopardized, you should take steps to correct or lessen the effects of the emergency.

If your situation does not fall within the Emergency guidelines, you should use the procedures described above for requesting routine Warranty service. However, if you believe that a delay in responding could result in further damage, please contact our Warranty Department immediately.

# CONSTRUCTION STANDARDS

The items covered in this section generally do not impact the structural integrity of your Home. These items will deteriorate over time with normal wear and tear and weather conditions. The standards set forth in this section will be utilized by our Warranty Department personnel in evaluating any problems you may experience with these items during the one-year warranty period (that's the first year after your close of escrow).

## Interior Doors

**Observation: Interior door is warped.**

**Performance Standard:** Interior doors (full openings) shall not warp in excess of 1/4".

**Corrective Measure:** The contractor will correct or replace and refinish defective doors to match existing doors as nearly as practical during the warranty period.

**NOTE:** In bathroom or utility areas, **exhaust fans or an open window must be used** to remove moisture to prevent warpage of doors. Doors warped due to the neglect of using exhaust fans or window openings will not be under our limited warranty agreement.

**Observation: Bi-fold doors come off tracks during normal operation.**

**Performance Standard:** Bi-fold doors shall slide properly on their tracks at the time the job is accepted. Cleaning and maintenance necessary to preserve proper operation are the owner's responsibility.

**Corrective Measure:** The contractor will repair any bi-fold door that will not stay on its track during normal operation, **one time during the warranty period.**

**NOTE:** Proper operation should be verified by the Homeowner and the contractor at the time the Homeowner Orientation.

**Observation: Wooden door panel shrinks and splits.**

**Performance Standard:** Wooden door panels shall not split to the point where light is visible through the door.

**Corrective Measure:** The contractor will fill splits in the door panel with wood filler and match paint or stain as closely as practical.

**Observation: Door rubs on jambs or contractor-installed floor covering, or latch does not work.**

**Performance Standard:** Doors shall operate smoothly and door latches shall operate correctly.

**Corrective Measure:** The contractor will repair the door and the door latch as necessary to meet the performance standard.

**Observation: Door drags on carpet.**

**Performance Standard:** Doors shall not drag on carpet.

**Corrective Measure:** The contractor will repair the door to meet the performance standard if the contractor installed the carpet as part of the contract.

**Observation: Door edge is not parallel to doorjamb.**

**Performance Standard:** Where the contractor installs the doorframe and door, the door edge

shall be within 3/16" of parallel to the doorjamb

**Corrective Measure:** The contractor will adjust the door as necessary to meet the standard.

**Observation: *Door swings open or closed by the force of gravity.***

**Performance Standard:** Doors shall not swing open or closed by the force of gravity alone. For remodeling projects, this standard does not apply where a door is installed in an existing wall that is out of plumb.

**Corrective Measure:** The contractor will adjust the door as necessary to meet the standard.

## Interior Stairs

**Observation: *Interior stair tread deflects too much.***

**Performance Standard:** The maximum vertical deflection of an interior stair tread shall not exceed 1/8" at 200 pounds force.

**Corrective Measure:** The contractor will repair the stair to meet the performance standard.

**Observation: *Squeaking stair riser or tread.***

**Performance Standard:** Loud squeaks caused by a loose stair riser or tread are unacceptable, but totally squeak-proof stair risers or treads cannot be guaranteed.

**Corrective Measure:** The contractor will refasten any loose risers or treads or take other corrective action to eliminate squeaking to the extent possible within reasonable repair capability without removing treads or ceiling finishes.

**NOTE:** Squeaks in risers or treads may occur when a riser has come loose from the tread, and is deflected by the weight of a person and rubs against the nails that hold it in place. Movement may occur between the riser and the tread or other stairway members when one tread is deflected while the other members remain stationary. Using trim screws to fasten the tread to the riser from above will sometimes reduce squeaking. If there is no ceiling below, gluing or renailling the riser to the tread or shimming will reduce squeaks but the **total elimination of squeaks is practically impossible.**

The performance standard requires the contractor to make a reasonable attempt to eliminate squeaks without requiring removal of treads or ceiling finishes.

**Observation: *Interior stair railing lacks rigidity.***

**Performance Standard:** Interior stair railings shall be attached to structural members in accordance with applicable codes.

**Corrective Measure:** The contractor will repair any stair railings as necessary to comply with applicable codes.

## Trim and Moldings

**Observation: *Interior trim is split.***

**Performance Standard:** Splits, cracks, and checking are inherent characteristics of all wood products, and are not a defect.

**Corrective Measure:** None.

**Observation: *Hammer marks are visible on interior trim.***

**Performance Standard:** Hammer marks on interior trim shall not be readily visible from a distance of **SIX feet under normal lighting conditions.**

**Corrective Measure:** The contractor will fill hammer marks and refinish or replace affected trim to meet the performance standard. **Refinished or replaced areas may not match surrounding surfaces exactly.**

## **Cabinets and Counter Tops**

**Observation: Cabinets do not meet ceiling or walls.**

**Performance Standard:** Gaps in excess of 1/4" are unacceptable.

**Corrective Measure:** The contractor will repair the gap with caulk, putty, or scribe molding, or he will reposition/reinstall cabinets to meet the performance standard.

**Observation: Cabinets do not line up with each other.**

**Performance Standard:** Cabinet faces more than 1/8" out of line, and cabinet corners more than 3/16" out of line, are unacceptable, unless the Homeowner and the contractor agree to disregard the standard in order to match or otherwise compensate for preexisting conditions.

**Corrective Measure:** The contractor will make necessary adjustments to meet the performance standard.

**Observation- Cabinet is warped.**

**Performance Standard:** Cabinet warpage shall not exceed 1/4" as measured from the face frame to the point of furthest warpage, with the door or drawer front in closed position.

**Corrective Measure:** The contractor will correct or replace doors and drawer fronts as necessary to meet the performance standard.

**Observation: Cabinet door or drawer binds.**

**Performance Standard:** Cabinet doors and drawers shall open and close with reasonable ease.

**Corrective Measure:** The contractor will adjust or replace doors and drawers as necessary to meet the performance standard.

**Observation: Cabinet door will not stay closed.**

**Performance Standard:** The catches or closing mechanisms for cabinet doors shall be adequate to hold the doors in a closed position.

**Corrective Measure:** The contractor will adjust or replace the door catches or closing mechanisms as necessary to meet the performance standard.

**Observation: The joints of high-pressure laminate on countertop are delaminated.**

**Performance Standard:** Countertops fabricated with high-pressure laminate coverings shall not delaminate.

**Corrective Measure:** The contractor will repair or replace delaminated coverings.

**Observation: Scratches on solid surface countertops.**

**Performance Standard:** Solid surface countertops shall be free of scratches that are visible from over **FOUR feet under normal lighting conditions** and **noted at the Homeowner Orientation.**

**Corrective Measure:** The contractor shall repair to meet the performance standard.

**Observation: Countertop is not level.**

**Performance Standard:** Countertops shall be no more than 3/8" in 10 feet out of parallel with the floor.

**Corrective Measure:** The contractor will make necessary adjustments to meet the performance standard.

## **Interior Wall Finish**

### ***Gypsum Wallboard***

**Observation:** *Nail pop, blister, or other blemish is visible on finished wall or ceiling.*

**Performance Standard:** Any such blemishes that are readily visible from a distance of **SIX feet under normal lighting conditions** are unacceptable.

**Corrective Measure:** The contractor will repair such blemishes only once during the warranty period. The contractor will touch up paint-repaired areas if the contractor was responsible for the original interior painting. **A perfect match between original and new paint cannot be expected, and the contractor is not required to paint an entire wall or room.** The contractor is not required to repair defects that are covered by wallpaper and, therefore, not visible.

**Observation:** *Cracked corner bead, excess joint compound, trowel marks or blisters in tape joints on drywall surface.*

**Performance Standard:** Cracked corner bead, nail pops or blisters in tape commonly result from normal shrinkage conditions during the 1<sup>st</sup> year.

**Corrective Measure:** The Contractor will repair these drywall conditions all at one time during the Limited Warranty period.

## **Paint, Stain, and Varnish**

**Observation:** *Mildew or fungus is visible on interior painted surfaces.*

**Performance Standard:** Painted and finished surfaces shall be free of observable mildew and fungus at the time the job is completed. However, mildew or fungus may form on painted surfaces over time because of heat and moisture. Also, mildew or fungus may form on painted surfaces due to the neglect of using exhaust fans or window openings.

**Corrective Measure:** The contractor will remove mildew and fungus before completion of the job. Subsequent mildew or fungus formation is a condition the contractor cannot control. The Homeowner is responsible for future cleaning and proper of the painted item as necessary to prevent or remove mildew and fungus.

**Observation:** *Varnish or lacquer finishes have deteriorated.*

**Performance Standard:** Clear finishes on interior woodwork shall not deteriorate during the warranty period.

**Corrective Measure:** The contractor will retouch affected areas of clear-finish interior woodwork and match the original finish as closely as practical.

**NOTE:** Finishes on window sills with south facing exposure may deteriorate due to climatic conditions.

**Observation:** *Interior paint does not "cover" the underlying surface.*

**Performance Standard:** The surface being painted shall not show through new paint when

viewed from a distance of **SIX feet under normal lighting conditions.**

**Corrective Measure:** The contractor will recoat as necessary to meet the standard and match surrounding areas as closely as practical.

**Observation: Interior surface is paint spattered.**

**Performance Standard:** Paint spatters shall not be readily visible on walls, woodwork, floors, or other interior surfaces when viewed from a distance of **SIX feet under normal lighting conditions.**

**Corrective Measure:** The contractor will remove paint spatters to meet the standard.

**Observation: Brush marks show on interior painted surface.**

**Performance Standard:** Brush marks shall not be readily visible on interior painted surfaces when viewed from a distance of **SIX feet under normal lighting conditions.**

**Corrective Measure:** The contractor will refinish as necessary to meet the standard and match surrounding areas as closely as practical.

**Observation: Lap marks show on interior paint or stain.**

**Performance Standard:** Lap marks shall not be readily visible on interior paint or stain when viewed from a distance of **SIX feet under normal lighting conditions.**

**Corrective Measure:** The contractor will refinish as necessary to meet the standard and match surrounding areas as closely as practical.

**Observation: Interior painting, staining, or refinishing is required because of repair work.**

**Performance Standard:** A perfect match between original and new paint cannot be expected. Repairs required under these performance standards shall be finished to match the immediate surrounding areas as closely as practical.

**Observation: Exterior painting, staining, or refinishing is required because of repair work.**

**Performance Standard:** Repairs required under these performance standards shall be finished to match the immediate surrounding areas as closely as practical.

**Corrective Measure:** The contractor will finish repaired areas as indicated.

**Observation: Varnish or lacquer finishes have deteriorated.**

**Performance Standard:** Clear finishes used on exterior surfaces may deteriorate rapidly. This is beyond the control of the contractor.

**Corrective Measure:** None.

## **Floor Coverings**

### ***Carpeting***

**Observation: Carpet does not meet at the seams.**

**Performance Standard:** It is not unusual for carpet seams to show. However, a visible gap at the seams is not acceptable.

**Corrective Measure:** If the carpet was installed by the contractor, the contractor will eliminate visible gaps at carpet seams.

***Observation: Carpeting loosens, or the carpet stretches.***

**Performance Standard:** When stretched and secured properly, wall-to-wall carpeting installed as the primary floor covering shall not come up, loosen, or separate from the points of attachment.

**Corrective Measure:** If the carpeting was installed by the contractor, the contractor will re-stretch or re-secure the carpeting as necessary to meet the standard.

***Observation: Spots or minor fading are visible on the carpet.***

**Performance Standard:** Exposure to natural light may cause spots and minor fading of the carpet.

**Corrective Measure:** None.

***Observation: Dead spots appear in padding areas below carpet surface.***

**Performance Standard:** Carpeted areas shall have full coverage of pad consistent throughout the flooring elements.

**Corrective Measure:** The contractor will repair any deficiencies to meet performance standards.

## ***Roll Vinyl and Resilient Tile Flooring***

***Observation: Nail pops appear on the surface of resilient flooring.***

**Performance Standard:** Readily visible nail pops on resilient flooring are not acceptable.

**Corrective Measure:** The contractor will repair the nail pops that are readily visible.

***Observation: Depressions or ridges appear in resilient flooring because of subfloor irregularities.***

**Performance Standard:** Readily apparent depressions or ridges exceeding 1/8" shall be repaired. The ridge or depression measurement is taken with the gap at one end of a 6-inch straightedge centered over the depression or ridge with 3" of the straightedge held tightly to the floor on one side of the defect.

**Corrective Measure:** The contractor will take corrective action as necessary to bring the defect within the acceptable tolerance so that the depression or ridge is not readily visible and is not more than 1/8". The contractor will not be responsible for discontinued patterns or color variations when replacing the floor covering.

***Observation: Resilient flooring loses adhesion.***

**Performance Standard:** Resilient flooring shall not lift, bubble, or detach.

**Corrective Measure:** At the contractor's option, the contractor will repair or replace the affected resilient flooring as necessary. The contractor is not responsible for discontinued patterns or color variations when replacing the floor covering.

***Observation: Seams or shrinkage gaps show at resilient sheet flooring joints.***

**Performance Standard:** Gaps at joints in resilient sheet flooring shall not exceed 1/16" in width. Where dissimilar materials abut, the gap shall not exceed 1/8".

**Corrective Measure:** At the contractor's option, the contractor will repair or replace the resilient flooring as necessary to meet the performance standard. **The contractor will not be responsible for discontinued patterns or color variations when replacing the floor covering.**

**NOTE:** Proper repair can be affected by sealing gap with seam sealer.

**Observation:** *Bubbles appear on roll vinyl flooring.*

**Performance Standard:** Bubbles resulting from trapped air that protrude higher than 1/16" from the floor are not acceptable.

**Corrective Measure:** The contractor will repair the floor to meet the standard.

**NOTE:** The performance standard does not apply to perimeter attached vinyl floors.

**Observation:** *Patterns on roll vinyl flooring are misaligned.*

**Performance Standard:** Patterns at seams between adjoining pieces shall be aligned to within 1/8".

**Corrective Measure:** The contractor will correct the flooring to meet the performance standard.

## **Tile, Brick, Marble, and Stone Flooring**

**Observation:** *Tile, brick, marble, or stone flooring is broken or loose.*

**Performance Standard:** Tile, brick, marble, and stone flooring shall not crack or loosen. However, the contractor is not responsible for cracking or flaking if these are natural characteristics of the material.

**Corrective Measure:** The contractor will replace cracked tiles, bricks, marble, and stone flooring, and resecure loose tiles, bricks, marble, and stone, unless the defects were caused by the Homeowner's actions or negligence. **The contractor is not responsible for discontinued patterns or color variations when replacing tile, brick, marble, or stone flooring.**

**Observation:** *Cracks appear in grouting of tile joints or at junctures with other material such as a bathtub.*

**Performance Standard:** Cracks in grouting of ceramic tile joints commonly result from normal shrinkage conditions.

**Corrective Measure:** The contractor will repair grouting, if necessary, one time only during the warranty period. The contractor will not be responsible for color variations or discontinued colored grout. **The Homeowner is responsible for regrouting these joints during the life of the Home.**

**NOTE:** Use of an elastic substance at junctures between tile and other materials is often more effective than grout.

**Observation:** *Grout or mortar joint is not a uniform color.*

**Performance Standard:** Any color variation that is readily visible from a distance of **SIX feet under normal lighting conditions is unacceptable.**

**Corrective Measure:** The contractor will repair to meet the performance standard.

## **Wood and Laminate Floors**

**Observation:** *Scratches and dents in wood or laminate floors.*

**Performance Standard:** Any such blemishes that are readily visible from a distance of **SIX feet under normal lighting conditions are unacceptable.**

**NOTE:** The Contractor will repair such blemishes only if noted on the Orientation Document.



**Corrective Measure:** Every effort will be made to correct these blemishes without the physical removal of any boards. (Please refer to the maintenance section of this manual for more information on wood floors.)

**Observation:** *Warping or “cupping” of wood or laminate floors.*

**Performance Standard:** Any such defects in wood or laminate floors are unacceptable.

**NOTE:** The Contractor will repair such defects only if noted on the Homeowner Orientation Form. Bubbles, Warping or “cupping” can take place at the joints when there is too much liquid applied because of a spill or during the cleaning process. **Please refer to the maintenance section of this manual for more information on wood and laminate floors.**

**Corrective Measure:** A perfect match between original and new flooring cannot be expected. Repairs required under these performance standards shall be finished to match the immediate surroundings as closely as practical.

# Glossary

## **Aerator**

Located at the end of kitchen and bathroom faucets. It mixes air with the water in order to provide a smooth, splash-free flow of water. Occasionally, debris may collect in the aerator and restrict the flow of water. If this happens, unscrew the aerator and remove the debris.

## **Association**

The duly elected legal group that is charged with governing the property and addressing common issues.

## **Base/Baseboard**

The strip of molding or trim at the bottom of walls. The baseboard adds an attractive finish and protects the wall from scuffs and damage from furniture or vacuum cleaners.

## **C.C.&R.'s**

The Covenants, Conditions and Restrictions that govern your subdivision.

## **Caulking**

This material is used as a sealant around sinks, tubs and showers. Other applications for caulking include sealing window and doorframes.

## **Circuit**

The electrical system in your Home is separated into individual circuits. Depending upon the layout of your Home and electrical codes in your breaker panel, each circuit may be designed for each individual room, of the Home or a single appliance.

## **Circuit Breakers**

Prevent electrical overload or shorting. The circuit breaker opens the circuit when an overload or short occurs, thereby breaking the flow of electricity. It can be reset manually by moving the circuit breaker lever OFF and then to the ON position **once the source of overload has been corrected**. Refer to the Electrical Systems section of this manual for more information.

## **Common Elements**

Many neighborhoods have areas that are common property and owned by an equal percentage of the members within the Homeowners Association. These areas may include streets, parking areas, walkways, slopes and recreational areas. They are maintained and their use is governed by the Homeowners Association.

## **Condenser**

The unit of a heating and air conditioning system that is located outside the Home.

## **Drywall**

The interior walls of a Home are usually constructed of drywall. This material also is called gypsum board or sheet rock. The material is functional, and can be textured and painted to complement the style of any Home.

## **Fluorescent**

The lighting fixtures that provide even, soft illumination in kitchens, bathrooms and other areas of the Home may use fluorescent bulbs.

## **GFCI**

Abbreviation for Ground Fault Interrupt Device. Similar to a circuit breaker in that it is designed to interrupt the flow of electricity. GFCI's are usually located in the kitchen or the bathrooms. In the event of a short circuit such as dropping an appliance into a filled tub or sink, the GFCI will break the electrical circuit immediately and prevent a serious electrical shock.

## **Graphite**

A carbon-based powdered substance that is used as a lubricant for applications in which oil can be damaging. Graphite is usually recommended for use on your hinges.

## **Grout**

Grout is the cement-like material visible between squares of ceramic tile.

## **Hardware**

The hinges, locks, handles and other metal attachments to doors, cabinets and drawers are commonly referred to as hardware.

## **Homeowner Maintenance**

As a new Homeowner you need to routinely maintain the various features of your Home. Some of these maintenance items have been indicated in the Maintenance section of this manual. This continuing maintenance is the responsibility of the Homeowner.

## **Homeowner Orientation Form**

This form is used to record the condition of your Home at the time of your Homeowner Orientation. For more information, refer to the Customer Service section of this manual.

## **Incandescent**

Lighting fixtures that use traditional light bulbs are called incandescent fixtures. Incandescent lighting is used for lamps, spot lighting and exterior lighting.

## **Manufacturer's Warranty**

The appliances and certain other components of a new Home are covered by warranties that are supplied by the original manufacturers. These warranties are passed on to you. They include components of the plumbing and electrical systems, heating and air conditioning system, water heater and other manufactured items.

## **Nail Pops**

The natural expansion and contraction of wood can cause the nails that hold the wall surfaces in place to move or pop out of place. The nails can be reset and, if necessary, touch up paint can be applied.

### **Return Air Vent**

Because modern homes feature almost airtight seals, the heating and air conditioning systems require return air vents to draw air back to the heating and cooling system.

### **Solid Surface Countertops**

This man-made product can be used for counter tops in kitchens and bathrooms. It provides beauty, durability and an excellent working surface.

### **Spackle**

The puttylike material that is used to fill surface irregularities in drywall. Its most common use is to fill nail holes in walls before repainting.

### **Tack Strips**

The devices between the flooring and carpeting that are used to hold wall-to-wall carpeting in place.

### **Thermostat**

The wall-mounted device that controls the heating and air conditioning is a thermostat. By cycling the heating or air conditioning s on and off, it will maintain a desired temperature in the Home.

### **Vitreous China**

The kiln-fired, pottery material that is used in most toilet bowls and tanks. It is very durable and impervious to water but can be broken by sharp blows from hard objects.

### **Weep Holes**

Small holes in door and window frames and decorator walls that allow water to drain away are called weep holes. They should be kept free of dirt and debris.